

KitCreator Web Interface

Status: Complete

URL: <http://kitcreator.rkeene.org/kits/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/tclkit.exe>

Description: Tcl 8.6.9, KitCreator 0.11.1, Platform win32, Zip-kit, Threaded, Packages: tcllib, tdom, tk, tls

Log:

```
Running: export KITCREATOR_PKGS=" tcllib tdom tk tls "
Running: ./build/make-kit-win32 8.6.9 --enable-kit-storage=zip --enable-threads
Building tcl ... done.
Building tclvfs ... done.
Building zlib ... done.
Building tcllib ... done.
Building tdom ... failed.
Building tk ... done.
Building tls ... failed.
Building thread ... done.
Building kitsh ... done.
Failed to build: tdom tls
WARNING: Build is likely incomplete or failed.
kitsh/build.log: *** Removing "kit.rc" since we have Tk with its own resource file
kitsh/build.log:Running: ./configure --with-tcl="/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9"
kitsh/build.log:configure: WARNING: unrecognized options: --enable-threads, --enable-threads
kitsh/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
kitsh/build.log:checking whether the C compiler works... yes
kitsh/build.log:checking for C compiler default output file name... a.exe
kitsh/build.log:checking for suffix of executables... .exe
kitsh/build.log:checking whether we are cross compiling... yes
kitsh/build.log:checking for suffix of object files... o
kitsh/build.log:checking whether we are using the GNU C compiler... yes
kitsh/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
kitsh/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
kitsh/build.log:checking whether make sets $(MAKE)... yes
kitsh/build.log:checking for a BSD-compatible install... /bin/ginstall -c
kitsh/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
kitsh/build.log:checking for grep that handles long lines and -e... /bin/grep
kitsh/build.log:checking for egrep... /bin/grep -E
kitsh/build.log:checking for ANSI C header files... yes
kitsh/build.log:checking for sys/types.h... yes
kitsh/build.log:checking for sys/stat.h... yes
kitsh/build.log:checking for stdlib.h... yes
kitsh/build.log:checking for string.h... yes
kitsh/build.log:checking for memory.h... yes
kitsh/build.log:checking for strings.h... yes
kitsh/build.log:checking for inttypes.h... yes
kitsh/build.log:checking for stdint.h... yes
kitsh/build.log:checking for unistd.h... yes
kitsh/build.log:checking minix/config.h usability... no
kitsh/build.log:checking minix/config.h presence... no
kitsh/build.log:checking for minix/config.h... no
kitsh/build.log:checking whether it is safe to define __EXTENSIONS__... yes
kitsh/build.log:checking what target to build... tclkit
kitsh/build.log:checking for library containing acos... none required
kitsh/build.log:checking for library containing dlsym... no
kitsh/build.log:configure: WARNING: Couldn't find dlsym (normally in libdl)!
kitsh/build.log:checking host system type... x86_64-pc-linux-gnu
kitsh/build.log:checking host system type... i586-pc-mingw32msvc
kitsh/build.log:checking how to link statically against libgcc... -static-libgcc
kitsh/build.log:checking path to tcl... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win
kitsh/build.log:checking host operating system... mingw32msvc
kitsh/build.log:checking for how to link whole archive... -Wl,--whole-archive -Wl,--no-whole-archive
kitsh/build.log:checking for libraries required for tcl... ../../tcl/inst/lib/libtcl86.a
kitsh/build.log:checking for libraries required for tcllib...
kitsh/build.log:checking for libraries required for tclvfs... ../../tclvfs/inst/lib/vfs1.3/libvfs1.3.a
kitsh/build.log:checking for libraries required for tdom...
kitsh/build.log:checking for libraries required for thread...
kitsh/build.log:checking for libraries required for tk... ../../tk/inst/lib/libtk86.a
kitsh/build.log:checking path to tk... ../../tk/build/tk8.6.9/win/tkConfig.sh
kitsh/build.log:checking for libraries required for tls...
kitsh/build.log:checking for libraries required for zlib... ../../zlib/inst/lib/libz.a
kitsh/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
kitsh/build.log:checking for Tcl_SetStartupScript... yes
kitsh/build.log:checking for Tcl_SetStartupScriptPath... no
kitsh/build.log:checking for Tcl_GetEncodingNameFromEnvironment... yes
kitsh/build.log:checking for Tcl_SetSystemEncoding... yes
kitsh/build.log:checking for ANSI C header files... (cached) yes
kitsh/build.log:checking for unistd.h... (cached) yes
kitsh/build.log:checking for string.h... (cached) yes
kitsh/build.log:checking for strings.h... (cached) yes
kitsh/build.log:checking for readlink... no
kitsh/build.log:checking for dlfcn.h usability... no
kitsh/build.log:checking for dlfcn.h presence... no
kitsh/build.log:checking for dlfcn.h... no
kitsh/build.log:checking for dladdr... no
kitsh/build.log:checking for acceptable dladdr... not found
kitsh/build.log:checking for how to statically link to zlib... -Wl,-Bstatic -lz -Wl,-Bdynamic
kitsh/build.log:checking which Tclkit Storage mechanism to use... zip
kitsh/build.log:configure: creating ./config.status
kitsh/build.log:config.status: creating Makefile
kitsh/build.log:config.status: creating Makefile.common
kitsh/build.log:configure: WARNING: unrecognized options: --enable-threads, --enable-threads
```

```

kitsh/build.log:Running: make TCLSH_NATIVE="tclsh"
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:In file included from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generi
kitsh/build.log:      from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generi
kitsh/build.log:      from kitInit.c:33:
kitsh/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclWinPort.h:19:0: warni
kitsh/build.log:# define _USE_32BIT_TIME_T
kitsh/build.log:
kitsh/build.log:In file included from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/build/tk8.6.9/generic,
kitsh/build.log:      from kitInit.c:19:
kitsh/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include/tcl.h:2:0: note: this is the 1
kitsh/build.log:#define _USE_32BIT_TIME_T 1
kitsh/build.log:
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:In file included from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generi
kitsh/build.log:      from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generi
kitsh/build.log:      from pwb.c:10:
kitsh/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclWinPort.h:19:0: warni
kitsh/build.log:# define _USE_32BIT_TIME_T
kitsh/build.log:
kitsh/build.log:In file included from pwb.c:9:0:
kitsh/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include/tcl.h:2:0: note: this is the 1
kitsh/build.log:#define _USE_32BIT_TIME_T 1
kitsh/build.log:
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:winMain.c: In function 'WinMain':
kitsh/build.log:winMain.c:109:22: warning: passing argument 1 of 'Tcl_SetPanicProc' makes '__attribute__((noreturn))' qualified function pointer from unqua
kitsh/build.log:      Tcl_SetPanicProc(WishPanic);
kitsh/build.log:      ~~~~~
kitsh/build.log:In file included from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include/tcl.h:2:
kitsh/build.log:      from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/build/tk8.6.9/generic,
kitsh/build.log:      from winMain.c:16:
kitsh/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include/tclDecls.h:689:14: note: expect
kitsh/build.log:EXTERN void Tcl_SetPanicProc(
kitsh/build.log:      ~~~~~
kitsh/build.log:i586-mingw32msvc-gcc -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include -I/tmp/
kitsh/build.log:Running: "/home/rkeene/bin/tclkit" installvfs.tcl "/kit" starpack.vfs "1" ".kit.new"
tcl/build.log:--2019-12-17 16:35:03-- http://hashcache.rkeene.org/sha256/ad0c2de2c87b9ba8086b43957a0de3be2eb565c7159d5f53ccbba3feb915f4e
tcl/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tcl/build.log:Connecting to hashcache.rkeene.org|2607:f1c0:84b:4b01:d73f:f114:30e7:e89d|:80... connected.
tcl/build.log:HTTP request sent, awaiting response... 200 OK
tcl/build.log:Length: 10000896 (9.5M) [application/octet-stream]
tcl/build.log:Saving to: 'src/tcl8.6.9.tar.gz.new'
tcl/build.log:
tcl/build.log:  0K ..... 0% 39.4M 0s
tcl/build.log: 50K ..... 1% 31.3M 0s
tcl/build.log:100K ..... 1% 37.7M 0s
tcl/build.log:150K ..... 2% 45.5M 0s
tcl/build.log:200K ..... 2% 42.4M 0s
tcl/build.log:250K ..... 3% 41.6M 0s
tcl/build.log:300K ..... 3% 54.2M 0s
tcl/build.log:350K ..... 4% 50.0M 0s
tcl/build.log:400K ..... 4% 55.0M 0s
tcl/build.log:450K ..... 5% 48.7M 0s
tcl/build.log:500K ..... 5% 52.6M 0s
tcl/build.log:550K ..... 6% 103M 0s
tcl/build.log:600K ..... 6% 84.6M 0s
tcl/build.log:650K ..... 7% 98.9M 0s
tcl/build.log:700K ..... 7% 94.0M 0s
tcl/build.log:750K ..... 8% 100M 0s
tcl/build.log:800K ..... 8% 95.8M 0s
tcl/build.log:850K ..... 9% 79.8M 0s
tcl/build.log:900K ..... 9% 93.2M 0s
tcl/build.log:950K ..... 10% 119M 0s
tcl/build.log:1000K ..... 10% 84.1M 0s
tcl/build.log:1050K ..... 11% 82.2M 0s
tcl/build.log:1100K ..... 11% 109M 0s
tcl/build.log:1150K ..... 12% 106M 0s
tcl/build.log:1200K ..... 12% 98.5M 0s
tcl/build.log:1250K ..... 13% 83.3M 0s
tcl/build.log:1300K ..... 13% 104M 0s
tcl/build.log:1350K ..... 14% 120M 0s
tcl/build.log:1400K ..... 14% 84.1M 0s
tcl/build.log:1450K ..... 15% 80.7M 0s
tcl/build.log:1500K ..... 15% 98.2M 0s
tcl/build.log:1550K ..... 16% 110M 0s
tcl/build.log:1600K ..... 16% 107M 0s
tcl/build.log:1650K ..... 17% 87.8M 0s
tcl/build.log:1700K ..... 17% 105M 0s
tcl/build.log:1750K ..... 18% 112M 0s
tcl/build.log:1800K ..... 18% 101M 0s
tcl/build.log:1850K ..... 19% 109M 0s
tcl/build.log:1900K ..... 19% 92.2M 0s
tcl/build.log:1950K ..... 20% 108M 0s
tcl/build.log:2000K ..... 20% 107M 0s
tcl/build.log:2050K ..... 21% 91.2M 0s
tcl/build.log:2100K ..... 22% 105M 0s
tcl/build.log:2150K ..... 22% 92.7M 0s
tcl/build.log:2200K ..... 23% 105M 0s
tcl/build.log:2250K ..... 23% 109M 0s
tcl/build.log:2300K ..... 24% 94.2M 0s
tcl/build.log:2350K ..... 24% 107M 0s
tcl/build.log:2400K ..... 25% 88.4M 0s
tcl/build.log:2450K ..... 25% 109M 0s
tcl/build.log:2500K ..... 26% 104M 0s

```

tcl/build.log:	2550K	26%	102M	0s
tcl/build.log:	2600K	27%	99.4M	0s
tcl/build.log:	2650K	27%	92.1M	0s
tcl/build.log:	2700K	28%	114M	0s
tcl/build.log:	2750K	28%	106M	0s
tcl/build.log:	2800K	29%	95.7M	0s
tcl/build.log:	2850K	29%	94.9M	0s
tcl/build.log:	2900K	30%	95.9M	0s
tcl/build.log:	2950K	30%	102M	0s
tcl/build.log:	3000K	31%	95.3M	0s
tcl/build.log:	3050K	31%	88.9M	0s
tcl/build.log:	3100K	32%	115M	0s
tcl/build.log:	3150K	32%	100M	0s
tcl/build.log:	3200K	33%	91.7M	0s
tcl/build.log:	3250K	33%	94.8M	0s
tcl/build.log:	3300K	34%	101M	0s
tcl/build.log:	3350K	34%	113M	0s
tcl/build.log:	3400K	35%	110M	0s
tcl/build.log:	3450K	35%	84.4M	0s
tcl/build.log:	3500K	36%	100M	0s
tcl/build.log:	3550K	36%	99.0M	0s
tcl/build.log:	3600K	37%	128M	0s
tcl/build.log:	3650K	37%	87.3M	0s
tcl/build.log:	3700K	38%	110M	0s
tcl/build.log:	3750K	38%	96.4M	0s
tcl/build.log:	3800K	39%	109M	0s
tcl/build.log:	3850K	39%	91.2M	0s
tcl/build.log:	3900K	40%	120M	0s
tcl/build.log:	3950K	40%	95.1M	0s
tcl/build.log:	4000K	41%	123M	0s
tcl/build.log:	4050K	41%	80.9M	0s
tcl/build.log:	4100K	42%	124M	0s
tcl/build.log:	4150K	43%	106M	0s
tcl/build.log:	4200K	43%	105M	0s
tcl/build.log:	4250K	44%	98.7M	0s
tcl/build.log:	4300K	44%	107M	0s
tcl/build.log:	4350K	45%	101M	0s
tcl/build.log:	4400K	45%	104M	0s
tcl/build.log:	4450K	46%	90.2M	0s
tcl/build.log:	4500K	46%	113M	0s
tcl/build.log:	4550K	47%	118M	0s
tcl/build.log:	4600K	47%	90.1M	0s
tcl/build.log:	4650K	48%	106M	0s
tcl/build.log:	4700K	48%	92.4M	0s
tcl/build.log:	4750K	49%	123M	0s
tcl/build.log:	4800K	49%	98.0M	0s
tcl/build.log:	4850K	50%	97.5M	0s
tcl/build.log:	4900K	50%	100M	0s
tcl/build.log:	4950K	51%	110M	0s
tcl/build.log:	5000K	51%	107M	0s
tcl/build.log:	5050K	52%	100M	0s
tcl/build.log:	5100K	52%	92.5M	0s
tcl/build.log:	5150K	53%	127M	0s
tcl/build.log:	5200K	53%	106M	0s
tcl/build.log:	5250K	54%	91.7M	0s
tcl/build.log:	5300K	54%	107M	0s
tcl/build.log:	5350K	55%	102M	0s
tcl/build.log:	5400K	55%	117M	0s
tcl/build.log:	5450K	56%	91.9M	0s
tcl/build.log:	5500K	56%	102M	0s
tcl/build.log:	5550K	57%	103M	0s
tcl/build.log:	5600K	57%	107M	0s
tcl/build.log:	5650K	58%	88.7M	0s
tcl/build.log:	5700K	58%	96.0M	0s
tcl/build.log:	5750K	59%	97.5M	0s
tcl/build.log:	5800K	59%	122M	0s
tcl/build.log:	5850K	60%	81.9M	0s
tcl/build.log:	5900K	60%	126M	0s
tcl/build.log:	5950K	61%	98.7M	0s
tcl/build.log:	6000K	61%	110M	0s
tcl/build.log:	6050K	62%	89.1M	0s
tcl/build.log:	6100K	62%	103M	0s
tcl/build.log:	6150K	63%	105M	0s
tcl/build.log:	6200K	63%	104M	0s
tcl/build.log:	6250K	64%	81.1M	0s
tcl/build.log:	6300K	65%	127M	0s
tcl/build.log:	6350K	65%	104M	0s
tcl/build.log:	6400K	66%	105M	0s
tcl/build.log:	6450K	66%	95.9M	0s
tcl/build.log:	6500K	67%	104M	0s
tcl/build.log:	6550K	67%	114M	0s
tcl/build.log:	6600K	68%	110M	0s
tcl/build.log:	6650K	68%	89.9M	0s
tcl/build.log:	6700K	69%	111M	0s
tcl/build.log:	6750K	69%	99.8M	0s
tcl/build.log:	6800K	70%	111M	0s
tcl/build.log:	6850K	70%	111M	0s
tcl/build.log:	6900K	71%	92.4M	0s
tcl/build.log:	6950K	71%	111M	0s
tcl/build.log:	7000K	72%	93.7M	0s
tcl/build.log:	7050K	72%	110M	0s
tcl/build.log:	7100K	73%	98.7M	0s
tcl/build.log:	7150K	73%	110M	0s
tcl/build.log:	7200K	74%	108M	0s
tcl/build.log:	7250K	74%	94.4M	0s
tcl/build.log:	7300K	75%	109M	0s
tcl/build.log:	7350K	75%	106M	0s
tcl/build.log:	7400K	76%	92.8M	0s

```

tcl/build.log: 7450K ..... 76% 101M 0s
tcl/build.log: 7500K ..... 77% 113M 0s
tcl/build.log: 7550K ..... 77% 93.7M 0s
tcl/build.log: 7600K ..... 78% 106M 0s
tcl/build.log: 7650K ..... 78% 90.4M 0s
tcl/build.log: 7700K ..... 79% 102M 0s
tcl/build.log: 7750K ..... 79% 108M 0s
tcl/build.log: 7800K ..... 80% 99.1M 0s
tcl/build.log: 7850K ..... 80% 97.3M 0s
tcl/build.log: 7900K ..... 81% 104M 0s
tcl/build.log: 7950K ..... 81% 110M 0s
tcl/build.log: 8000K ..... 82% 127M 0s
tcl/build.log: 8050K ..... 82% 83.7M 0s
tcl/build.log: 8100K ..... 83% 113M 0s
tcl/build.log: 8150K ..... 83% 91.7M 0s
tcl/build.log: 8200K ..... 84% 108M 0s
tcl/build.log: 8250K ..... 84% 92.8M 0s
tcl/build.log: 8300K ..... 85% 108M 0s
tcl/build.log: 8350K ..... 86% 106M 0s
tcl/build.log: 8400K ..... 86% 128M 0s
tcl/build.log: 8450K ..... 87% 85.6M 0s
tcl/build.log: 8500K ..... 87% 118M 0s
tcl/build.log: 8550K ..... 88% 98.8M 0s
tcl/build.log: 8600K ..... 88% 117M 0s
tcl/build.log: 8650K ..... 89% 104M 0s
tcl/build.log: 8700K ..... 89% 99.9M 0s
tcl/build.log: 8750K ..... 90% 127M 0s
tcl/build.log: 8800K ..... 90% 88.3M 0s
tcl/build.log: 8850K ..... 91% 111M 0s
tcl/build.log: 8900K ..... 91% 103M 0s
tcl/build.log: 8950K ..... 92% 107M 0s
tcl/build.log: 9000K ..... 92% 107M 0s
tcl/build.log: 9050K ..... 93% 97.7M 0s
tcl/build.log: 9100K ..... 93% 110M 0s
tcl/build.log: 9150K ..... 94% 118M 0s
tcl/build.log: 9200K ..... 94% 98.6M 0s
tcl/build.log: 9250K ..... 95% 102M 0s
tcl/build.log: 9300K ..... 95% 103M 0s
tcl/build.log: 9350K ..... 96% 112M 0s
tcl/build.log: 9400K ..... 96% 123M 0s
tcl/build.log: 9450K ..... 97% 84.1M 0s
tcl/build.log: 9500K ..... 97% 126M 0s
tcl/build.log: 9550K ..... 98% 103M 0s
tcl/build.log: 9600K ..... 98% 108M 0s
tcl/build.log: 9650K ..... 99% 93.9M 0s
tcl/build.log: 9700K ..... 99% 96.5M 0s
tcl/build.log: 9750K ..... 100% 91.8M=0.1s
tcl/build.log:
tcl/build.log:2019-12-17 16:35:03 (94.5 MB/s) - 'src/tcl8.6.9.tar.gz.new' saved [10000896/10000896]
tcl/build.log:
tcl/build.log:Applying: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patches/all/tcl-all-fix-stat64-bug;
tcl/build.log:patching file generic/tcl.h
tcl/build.log:Hunk #1 succeeded at 444 (offset -10 lines).
tcl/build.log:Applying: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patches/all/tcl-all-fix-stat64-bug;
tcl/build.log:patching file generic/tcl.h
tcl/build.log:Hunk #1 succeeded at 467 (offset -8 lines).
tcl/build.log:Applying: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patches/all/tcl-all-fix-stat64-bug;
tcl/build.log:patching file generic/tcl.h
tcl/build.log:Hunk #1 FAILED at 437.
tcl/build.log:1 out of 1 hunk FAILED -- saving rejects to file generic/tcl.h.rej
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/fix-crossc
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/fixfixstr
tcl/build.log:cat: compat/strtod.c: No such file or directory
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/force-sta
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/macosx-fi
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/minbuild-r
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/static-ki
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/tcl-utf-m
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/visibility
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/win32-32b
tcl/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/patchscripts/win32-dllr
tcl/build.log:Working in: unix
tcl/build.log:Running: ./configure --disable-shared --with-encoding=utf-8 --prefix="/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/bui
tcl/build.log:configure: WARNING: If you wanted to set the --build type, don't use --host.
tcl/build.log: If a cross compiler is detected then cross compile mode will be used.
tcl/build.log:checking whether to use symlinks for manpages... no
tcl/build.log:checking whether to compress the manpages... no
tcl/build.log:checking whether to add a package name suffix for the manpages... no
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ANSI C... none needed
tcl/build.log:checking for inline... inline
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking for egrep... grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes

```

```

tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking for unistd.h... yes
tcl/build.log:checking dirent.h... yes
tcl/build.log:checking float.h usability... yes
tcl/build.log:checking float.h presence... yes
tcl/build.log:checking for float.h... yes
tcl/build.log:checking values.h usability... no
tcl/build.log:checking values.h presence... no
tcl/build.log:checking for values.h... no
tcl/build.log:checking for stdlib.h... (cached) yes
tcl/build.log:checking for string.h... (cached) yes
tcl/build.log:checking sys/wait.h usability... no
tcl/build.log:checking sys/wait.h presence... no
tcl/build.log:checking for sys/wait.h... no
tcl/build.log:checking dlfcn.h usability... no
tcl/build.log:checking dlfcn.h presence... no
tcl/build.log:checking for dlfcn.h... no
tcl/build.log:checking sys/param.h usability... yes
tcl/build.log:checking sys/param.h presence... yes
tcl/build.log:checking for sys/param.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking for pthread_mutex_init in -lpthread... yes
tcl/build.log:checking for pthread_attr_setstacksize... yes
tcl/build.log:checking for pthread_atfork... no
tcl/build.log:checking for building with threads... yes
tcl/build.log:checking for sin... yes
tcl/build.log:checking for main in -linet... no
tcl/build.log:checking net/errno.h usability... no
tcl/build.log:checking net/errno.h presence... no
tcl/build.log:checking for net/errno.h... no
tcl/build.log:checking for connect... no
tcl/build.log:checking for setsockopt... no
tcl/build.log:checking for setsockopt in -lsocket... no
tcl/build.log:checking for accept... no
tcl/build.log:checking for gethostbyname... no
tcl/build.log:checking for gethostbyname in -lnsl... no
tcl/build.log:checking how to build libraries... static
tcl/build.log:checking for tclsh... /usr/bin/tclsh8.6
tcl/build.log:checking zlib.h usability... no
tcl/build.log:checking zlib.h presence... no
tcl/build.log:checking for zlib.h... no
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking system version... -
tcl/build.log:checking for dlopen in -ldl... no
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:configure: WARNING: Can't figure out how to do dynamic loading or shared libraries on this system.
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for DIR64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for getcwd... yes
tcl/build.log:checking for mkstemp... yes
tcl/build.log:checking for opendir... yes
tcl/build.log:checking for strtol... yes
tcl/build.log:checking for waitpid... no
tcl/build.log:checking for strerror... yes
tcl/build.log:checking for getwd... no
tcl/build.log:checking for wait3... no
tcl/build.log:checking for uname... no
tcl/build.log:checking for realpath... no
tcl/build.log:checking for getnameinfo... no
tcl/build.log:checking for getaddrinfo... no
tcl/build.log:checking for freeaddrinfo... no
tcl/build.log:checking for gai_strerror... no
tcl/build.log:checking for struct addrinfo... no
tcl/build.log:checking for struct in6_addr... no
tcl/build.log:checking for struct sockaddr_in6... no
tcl/build.log:checking for struct sockaddr_storage... no
tcl/build.log:checking for strlcpy... no
tcl/build.log:checking for getpuid_r... no
tcl/build.log:checking for getpwnam_r... no
tcl/build.log:checking for getgrgid_r... no
tcl/build.log:checking for getgrnam_r... no
tcl/build.log:checking for gethostbyname_r... no
tcl/build.log:checking for gethostbyaddr_r... no
tcl/build.log:checking termios.h usability... no
tcl/build.log:checking termios.h presence... no
tcl/build.log:checking for termios.h... no
tcl/build.log:checking sys/ioctl.h usability... no
tcl/build.log:checking sys/ioctl.h presence... no
tcl/build.log:checking for sys/ioctl.h... no
tcl/build.log:checking sys/modem.h usability... no
tcl/build.log:checking sys/modem.h presence... no
tcl/build.log:checking for sys/modem.h... no
tcl/build.log:checking for fd_set in sys/types... no
tcl/build.log:checking for fd_mask in sys/select... missing
tcl/build.log:checking sys/time.h usability... yes

```

```

tcl/build.log:checking sys/time.h presence... yes
tcl/build.log:checking for sys/time.h... yes
tcl/build.log:checking whether time.h and sys/time.h may both be included... yes
tcl/build.log:checking for gmtime_r... no
tcl/build.log:checking for localtime_r... no
tcl/build.log:checking for mktime... yes
tcl/build.log:checking tm_tzadj in struct tm... no
tcl/build.log:checking tm_gmtoff in struct tm... no
tcl/build.log:checking long timezone variable... yes
tcl/build.log:checking for struct stat.st_blocks... no
tcl/build.log:checking for struct stat.st_blksize... no
tcl/build.log:checking for blkcnt_t... no
tcl/build.log:checking for fstatfs... no
tcl/build.log:checking for working memcmp... no
tcl/build.log:checking for memmove... yes
tcl/build.log:checking for strstr... yes
tcl/build.log:checking proper strstr implementation... unknown
tcl/build.log:checking for strtoul... yes
tcl/build.log:checking proper strtoul implementation... unknown
tcl/build.log:checking for mode_t... yes
tcl/build.log:checking for pid_t... yes
tcl/build.log:checking for size_t... yes
tcl/build.log:checking for uid_t in sys/types.h... no
tcl/build.log:checking for socklen_t... no
tcl/build.log:checking for intptr_t... yes
tcl/build.log:checking for uintptr_t... yes
tcl/build.log:checking for opendir... (cached) yes
tcl/build.log:checking union wait... no
tcl/build.log:checking for strncasecmp... yes
tcl/build.log:checking for gettimeofday... yes
tcl/build.log:checking for gettimeofday declaration... present
tcl/build.log:checking whether char is unsigned... no
tcl/build.log:checking signed char declarations... yes
tcl/build.log:checking for a putenv() that copies the buffer... no
tcl/build.log:checking langinfo.h usability... no
tcl/build.log:checking langinfo.h presence... no
tcl/build.log:checking for langinfo.h... no
tcl/build.log:checking whether to use nl_langinfo... no
tcl/build.log:checking for chflags... no
tcl/build.log:checking for mkstemp... no
tcl/build.log:checking isnan... yes
tcl/build.log:checking for fts... no
tcl/build.log:checking for sys/ioctl.h... (cached) no
tcl/build.log:checking sys/filio.h usability... no
tcl/build.log:checking sys/filio.h presence... no
tcl/build.log:checking for sys/filio.h... no
tcl/build.log:checking system version... (cached) -
tcl/build.log:checking FIONBIO vs. O_NONBLOCK for nonblocking I/O... O_NONBLOCK
tcl/build.log:checking whether to use dll unloading... yes
tcl/build.log:checking for timezone data... /usr/share/zoneinfo
tcl/build.log:checking whether to enable DTrace support... no
tcl/build.log:checking whether the cpuid instruction is usable... yes
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating dlttest/Makefile
tcl/build.log:config.status: creating tclConfig.sh
tcl/build.log:config.status: creating tcl.pc
tcl/build.log:Running: make
tcl/build.log:i586-mingw32msvc-gcc -c -O2 -pipe -Wall -DBUILD_tcl -I" -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kit
tcl/build.log:In file included from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generic,
tcl/build.log: from /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generic,
tcl/build.log:/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/generic/tclPort.h:21:27: fatal
tcl/build.log:# include "tclWinPort.h"
tcl/build.log:      ^
tcl/build.log:compilation terminated.
tcl/build.log:Makefile:1692: recipe for target 'tclStubLib.o' failed
tcl/build.log:make: *** [tclStubLib.o] Error 1
tcl/build.log:Working in: win
tcl/build.log:Running: ./configure --disable-shared --with-encoding=utf-8 --prefix="/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/bui
tcl/build.log:configure: WARNING: If you wanted to set the --build type, don't use --host.
tcl/build.log: If a cross compiler is detected then cross compile mode will be used.
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ANSI C... none needed
tcl/build.log:checking for inline... inline
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking for egrep... grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... static
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes

```



```

tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for intptr_t... yes
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl:
tcl/build.log:configure: creating .conf.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:config.status: creating itclConfig.sh
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'itcl4.1.2'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:rm -f itcl412.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o itcl412.dll itcl2Tcl00.o itclBase.o itclBuiltin.o itclClass.o itclCmd.o itclEnsemble.o itclHelpers.o itclInfc
tcl/build.log: itcl412.dll
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"itcl\" -DPACKAGE_TARNAME=\"itcl\" -DPACKAGE_VERSION=\"4.1.2\" -DPACKAGE_STRING=\"itcl 4.1.2\" -DPACKA
tcl/build.log:rm -f libitclstub412.a
tcl/build.log:i586-mingw32msvc-ar cr libitclstub412.a itclStubLib.o
tcl/build.log: libitclstub412.a
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Configuring package '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/sqli
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring sqlite 3.25.3
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/builc
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-6
tcl/build.log:checking for i586-mingw32msvc-gcc... (cached) i586-mingw32msvc-gcc
tcl/build.log:checking whether we are using the GNU C compiler... (cached) yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... (cached) yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... (cached) none needed
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for grep that handles long lines and -e... /bin/grep
tcl/build.log:checking for egrep... /bin/grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking for unistd.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for Tcl public headers... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... shared
tcl/build.log:checking for i586-mingw32msvc-ranlib... (cached) i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking for cross-compile version of gcc... no
tcl/build.log:checking for SEH support in compiler... no
tcl/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes
tcl/build.log:checking for winnt.h that ignores VOID define... no
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none

```

```

tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking malloc.h usability... yes
tcl/build.log:checking malloc.h presence... yes
tcl/build.log:checking for malloc.h... yes
tcl/build.log:checking for fdatsync... no
tcl/build.log:checking for usleep... yes
tcl/build.log:checking for strchrnul... no
tcl/build.log:checking for localtime_r... no
tcl/build.log:checking for gmtime_r... no
tcl/build.log:checking for localtime_s... no
tcl/build.log:checking for malloc_usable_size... no
tcl/build.log:checking for utime... yes
tcl/build.log:checking for flock... no
tcl/build.log:checking for readlink... no
tcl/build.log:checking for lstat... no
tcl/build.log:checking for pread... no
tcl/build.log:checking for pread64... no
tcl/build.log:checking for pwrite... no
tcl/build.log:checking for pwrite64... no
tcl/build.log:checking for rand_s... yes
tcl/build.log:checking whether strerror_r is declared... no
tcl/build.log:checking for strerror_r... no
tcl/build.log:checking whether strerror_r returns char *... no
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'sqlite3.25.3'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh'
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"sqlite\" -DPACKAGE_TARNAME=\"sqlite\" -DPACKAGE_VERSION=\"3.25.3\" -DPACKAGE_STRING=\"sqlite 3.25.3\"
tcl/build.log:rm -f sqlite3253.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o sqlite3253.dll tclsqlite3.o -lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32 -"/tmp/kitcreator-web/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh
tcl/build.log:If you have documentation to create, place the commands to
tcl/build.log:build the docs in the 'doc:' target. For example:
tcl/build.log:      xml2nroff sample.xml > sample.n
tcl/build.log:      xml2html sample.xml > sample.html
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh'
tcl/build.log:Configuring package /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/tdbc
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring tdbc 1.1.0
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclsh
tcl/build.log:checking for i586-mingw32msvc-gcc... (cached) i586-mingw32msvc-gcc
tcl/build.log:checking whether we are using the GNU C compiler... (cached) yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... (cached) yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... (cached) none needed
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for grep that handles long lines and -e... /bin/grep
tcl/build.log:checking for egrep... /bin/grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking forunistd.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for inline... inline
tcl/build.log:checking for Tcl public headers... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tclsh
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... shared
tcl/build.log:checking for i586-mingw32msvc-ranlib... (cached) i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres

```



```

tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for intptr_t... yes
tcl/build.log:checking for uintptr_t... yes
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl:
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'tdbcmysql1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcmysql\" -DPACKAGE_TARNAME=\"tdbcmysql\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcmysql\
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcmysql\" -DPACKAGE_TARNAME=\"tdbcmysql\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcmysql\
tcl/build.log:rm -f tdbcmysql110.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o tdbcmysql110.dll tdbcmysql.o mysqlStubInit.o -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858
tcl/build.log:: tdbcmysql110.dll
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Configuring package '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pgs/tdbc
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring tdbcodbc 1.1.0
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:checking for tdbc configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:configure: WARNING: Found Makefile - using build library specs for tdbc
tcl/build.log:checking For tdbc_STUB library for LIBS... using tdbc_STUB_LIB_SPEC -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/bui
tcl/build.log:configure: WARNING: Looking for "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6
tcl/build.log:configure: WARNING: Found Makefile - using build include spec and lib specs for tdbc
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0
tcl/build.log:checking for i586-mingw32msvc-gcc... (cached) i586-mingw32msvc-gcc
tcl/build.log:checking whether we are using the GNU C compiler... (cached) yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... (cached) yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... (cached) none needed
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for grep that handles long lines and -e... /bin/grep
tcl/build.log:checking for egrep... /bin/grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking for unistd.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for inline... inline
tcl/build.log:checking for long long... yes
tcl/build.log:checking size of long long... 8
tcl/build.log:checking size of long... 4
tcl/build.log:checking for Tcl public headers... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... shared
tcl/build.log:checking for i586-mingw32msvc-ranlib... (cached) i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking for cross-compile version of gcc... no
tcl/build.log:checking for SEH support in compiler... no
tcl/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes
tcl/build.log:checking for winnt.h that ignores VOID define... no
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no

```

```

tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for intptr_t... yes
tcl/build.log:checking for uintptr_t... yes
tcl/build.log:checking for main in -lws2_32... yes
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl:
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'tdbcodbc1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcodbc\" -DPACKAGE_TARNAME=\"tdbcodbc\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcodbc 1.1
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcodbc\" -DPACKAGE_TARNAME=\"tdbcodbc\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcodbc 1.1
tcl/build.log:rm -f tdbcodbc110.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o tdbcodbc110.dll tdbcodbc.o odbcStubInit.o -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6c
tcl/build.log: tdbcodbc110.dll
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Configuring package '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/tdbc
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring tdbcpostgres 1.1.0
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:checking for tdbc configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:configure: WARNING: Found Makefile - using build library specs for tdbc
tcl/build.log:checking for tdbc_STUB library for LIBS... using tdbc_STUB_LIB_SPEC -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/bui
tcl/build.log:configure: WARNING: Looking for "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6
tcl/build.log:configure: WARNING: Found Makefile - using build include spec and lib specs for tdbc
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0
tcl/build.log:checking for i586-mingw32msvc-gcc... (cached) i586-mingw32msvc-gcc
tcl/build.log:checking whether we are using the GNU C compiler... (cached) yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... (cached) yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... (cached) none needed
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for grep that handles long lines and -e... /bin/grep
tcl/build.log:checking for egrep... /bin/grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking forunistd.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for inline... inline
tcl/build.log:checking for long long... yes
tcl/build.log:checking size of long long... 8
tcl/build.log:checking size of long... 4
tcl/build.log:checking for Tcl public headers... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... shared
tcl/build.log:checking for i586-mingw32msvc-ranlib... (cached) i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking for cross-compile version of gcc... no
tcl/build.log:checking for SEH support in compiler... no
tcl/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes
tcl/build.log:checking for winnt.h that ignores VOID define... no
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for intptr_t... yes
tcl/build.log:checking for uintptr_t... yes
tcl/build.log:checking for main in -lws2_32... yes
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl:
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile

```

```

tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'tdbcpostgres1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/w
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcpostgres\" -DPACKAGE_TARNAME=\"tdbcpostgres\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcpc
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"tdbcpostgres\" -DPACKAGE_TARNAME=\"tdbcpostgres\" -DPACKAGE_VERSION=\"1.1.0\" -DPACKAGE_STRING=\"tdbcpc
tcl/build.log:rm -f tdbcpostgres110.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o tdbcpostgres110.dll tdbcpostgres.o pqStubInit.o -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f
tcl/build.log: tdbcpostgres110.dll
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Configuring package '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/tdbc
tcl/build.log:configure: WARNING: unrecognized options: --with-tclinclude, --disable-shared, --with-encoding, --enable-kit-storage, --enable-shared
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring tdbcsqlite3 1.1.0
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:checking for tdbc configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/buil
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:configure: WARNING: Found Makefile - using build library specs for tdbc
tcl/build.log:checking for tdbc_STUB library for LIBS... using tdbc_STUB_LIB_SPEC -L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/bui
tcl/build.log:configure: WARNING: Looking for "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6
tcl/build.log:configure: WARNING: Found Makefile - using build include spec and lib specs for tdbc
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking for cross-compile version of gcc... no
tcl/build.log:checking for SEH support in compiler... no
tcl/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes
tcl/build.log:checking for winnt.h that ignores VOID define... no
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl:
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-tclinclude, --disable-shared, --with-encoding, --enable-kit-storage, --enable-shared
tcl/build.log:Building package 'tdbcsqlite3-1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/w
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Configuring package '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/thre
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:checking TEA configuration... ok (TEA 3.13)
tcl/build.log:configure: configuring thread 2.8.4
tcl/build.log:checking system version... windows
tcl/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/buil
tcl/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tcl/build.log:checking whether the C compiler works... yes
tcl/build.log:checking for C compiler default output file name... a.exe
tcl/build.log:checking for suffix of executables... .exe
tcl/build.log:checking whether we are cross compiling... yes
tcl/build.log:checking for suffix of object files... o
tcl/build.log:checking whether we are using the GNU C compiler... yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tcl/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win,
tcl/build.log:checking platform... checking for cygpath... echo
tcl/build.log:windows
tcl/build.log:configure: --exec-prefix defaulting to TCL_EXEC_PREFIX /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0
tcl/build.log:checking for i586-mingw32msvc-gcc... (cached) i586-mingw32msvc-gcc
tcl/build.log:checking whether we are using the GNU C compiler... (cached) yes
tcl/build.log:checking whether i586-mingw32msvc-gcc accepts -g... (cached) yes
tcl/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... (cached) none needed
tcl/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tcl/build.log:checking whether make sets $(MAKE)... yes
tcl/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tcl/build.log:checking for grep that handles long lines and -e... /bin/grep
tcl/build.log:checking for egrep... /bin/grep -E
tcl/build.log:checking for ANSI C header files... yes
tcl/build.log:checking for sys/types.h... yes
tcl/build.log:checking for sys/stat.h... yes

```

```
tcl/build.log:checking for stdlib.h... yes
tcl/build.log:checking for string.h... yes
tcl/build.log:checking for memory.h... yes
tcl/build.log:checking for strings.h... yes
tcl/build.log:checking for inttypes.h... yes
tcl/build.log:checking for stdint.h... yes
tcl/build.log:checking for unistd.h... yes
tcl/build.log:checking if the compiler understands -pipe... yes
tcl/build.log:checking whether byte ordering is bigendian... no
tcl/build.log:checking for NaviServer/AOLserver configuration... none found
tcl/build.log:checking for Tcl public headers... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8
tcl/build.log:checking for building with threads... yes (default)
tcl/build.log:checking how to build libraries... shared
tcl/build.log:checking for i586-mingw32msvc-ranlib... (cached) i586-mingw32msvc-ranlib
tcl/build.log:checking if 64bit support is requested... no
tcl/build.log:checking if 64bit Sparc VIS support is requested... no
tcl/build.log:checking if compiler supports visibility "hidden"... no
tcl/build.log:checking if rpath support is requested... yes
tcl/build.log:checking if Windows/CE build is requested... no
tcl/build.log:checking system version... (cached) windows
tcl/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tcl/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres
tcl/build.log:checking for cross-compile version of gcc... no
tcl/build.log:checking for SEH support in compiler... no
tcl/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes
tcl/build.log:checking for winnt.h that ignores VOID define... no
tcl/build.log:checking for cast to union support... yes
tcl/build.log:checking for required early compiler flags... none
tcl/build.log:checking for 64-bit integer type... long long
tcl/build.log:checking for struct dirent64... no
tcl/build.log:checking for struct stat64... yes
tcl/build.log:checking for open64... no
tcl/build.log:checking for lseek64... yes
tcl/build.log:checking for off64_t... no
tcl/build.log:checking for build with symbols... no
tcl/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tcl8
tcl/build.log:configure: creating ./config.status
tcl/build.log:config.status: creating Makefile
tcl/build.log:config.status: creating pkgIndex.tcl
tcl/build.log:configure: WARNING: unrecognized options: --with-encoding, --enable-kit-storage
tcl/build.log:Building package 'thread2.8.4'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:i586-mingw32msvc-gcc -DPACKAGE_NAME=\"thread\" -DPACKAGE_TARNAME=\"thread\" -DPACKAGE_VERSION=\"2.8.4\" -DPACKAGE_STRING=\"thread\ 2.8.4\" -f
tcl/build.log:rm -f thread284.dll
tcl/build.log:i586-mingw32msvc-gcc -shared -o thread284.dll threadNs.o threadCmd.o threadSvcCmd.o threadSpCmd.o threadPoolCmd.o psGdbm.o psLmdb.o threadSVL
tcl/build.log: thread284.dll
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Running: make install
tcl/build.log:Building package 'itcl4.1.2'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'sqlite3.25.3'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:If you have documentation to create, place the commands to
tcl/build.log:build the docs in the 'doc:' target. For example:
tcl/build.log:      xml2nroff sample.xml > sample.n
tcl/build.log:      xml2html sample.xml > sample.html
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'tdbc1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'tdbcmsysql1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'tdbcodbc1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'tdbcpostgres1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'tdbcsqlite3-1.1.0'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Building package 'thread2.8.4'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tcl/build.log:make[1]: Nothing to be done for 'all'.
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/bin
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/dde1.4
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/reg1.3
tcl/build.log:Installing tclsh86s.exe to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/bin/
```



```

tcl/build.log:Installing tclConfig.sh to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/
tcl/build.log:Installing tclOoConfig.sh to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/
tcl/build.log:Installing libtcl86.a to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/
tcl/build.log:Installing libtclstub86.a to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/
tcl/build.log:Installing tcldde4.dll
tcl/build.log:Installing libtclldde14.a
tcl/build.log:Installing tclreg13.dll
tcl/build.log:Installing libtclreg13.a
tcl/build.log:Installing time zone data
tcl/build.log:   Creating tzdata
tcl/build.log:   Creating Antarctica
tcl/build.log:   Creating Mexico
tcl/build.log:   Creating Etc
tcl/build.log:   Creating Europe
tcl/build.log:   Creating US
tcl/build.log:   Creating Canada
tcl/build.log:   Creating Atlantic
tcl/build.log:   Creating Australia
tcl/build.log:   Creating Arctic
tcl/build.log:   Creating Pacific
tcl/build.log:   Creating Africa
tcl/build.log:   Creating Indian
tcl/build.log:   Creating America
tcl/build.log:   Creating North_Dakota
tcl/build.log:   Creating Argentina
tcl/build.log:   Creating Kentucky
tcl/build.log:   Creating Indiana
tcl/build.log:   Creating Asia
tcl/build.log:   Creating SystemV
tcl/build.log:   Creating Chile
tcl/build.log:   Creating Brazil
tcl/build.log:Installing message catalogs
tcl/build.log:   Creating msgs
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/http1.0
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/opt0.4
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/encoding
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/./tcl8
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/./tcl8/8.4
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/./tcl8/8.4.
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/./tcl8/8.5
tcl/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6/./tcl8/8.6
tcl/build.log:Installing header files
tcl/build.log:Installing library files to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/tcl8.6
tcl/build.log:Installing library http1.0 directory
tcl/build.log:Installing package http 2.9.0 as a Tcl Module
tcl/build.log:Installing library opt0.4 directory
tcl/build.log:Installing package msgcat 1.6.1 as a Tcl Module
tcl/build.log:Installing package tcltest 2.5.0 as a Tcl Module
tcl/build.log:Installing package platform 1.0.14 as a Tcl Module
tcl/build.log:Installing package platform::shell 1.1.4 as a Tcl Module
tcl/build.log:Installing encodings
tcl/build.log:Installing package 'itcl4.1.2'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v'
tcl/build.log: /bin/sh /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/tclcor
tcl/build.log: /bin/sh /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/tclcor
tcl/build.log: Install itcl.tcl /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/itcl4.1.2/itcl.tcl
tcl/build.log: Install itclWidget.tcl /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/itcl4.1.2/it
tcl/build.log: Install itclHullCmds.tcl /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/itcl4.1.2/
tcl/build.log: Install pkgIndex.tcl /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/itcl4.1.2
tcl/build.log:/bin/sh /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/tclconf
tcl/build.log:Installing header files in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/itcl4.1.2/genex
tcl/build.log:Installing documentation in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/share/man
tcl/build.log:Installing body.n
tcl/build.log:Installing class.n
tcl/build.log:Installing code.n
tcl/build.log:Installing configbody.n
tcl/build.log:Installing delete.n
tcl/build.log:Installing ensemble.n
tcl/build.log:Installing find.n
tcl/build.log:Installing is.n
tcl/build.log:Installing itcl.n
tcl/build.log:Installing itclcomponent.n
tcl/build.log:Installing itcldelegate.n
tcl/build.log:Installing itclextendedclass.n
tcl/build.log:Installing itcloption.n
tcl/build.log:Installing itclvars.n
tcl/build.log:Installing itclwidget.n
tcl/build.log:Installing local.n
tcl/build.log:Installing scope.n
tcl/build.log:make[1]: Leaving directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcl/build.log:Installing package 'sqlite3.25.3'
tcl/build.log:make[1]: Entering directory '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v'
tcl/build.log:If you have documentation to create, place the commands to
tcl/build.log:build the docs in the 'doc:' target. For example:
tcl/build.log:   xml2nroff sample.xml > sample.n
tcl/build.log:   xml2html sample.xml > sample.html
tcl/build.log: /bin/sh /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/sqlite3.25.3/tclc
tcl/build.log: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/sqlite3.25.3/sqlite3253.dll
tcl/build.log: Install pkgIndex.tcl /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/sqlite3.25.3
tcl/build.log:/bin/sh /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/pkgs/sqlite3.25.3/tclc

```



```

tcllib/build.log:++ TCL_LDFLAGS_DEBUG=
tcllib/build.log:++ TCL_LDFLAGS_OPTIMIZE=
tcllib/build.log:++ TCL_SHARED_BUILD=0
tcllib/build.log:++ TCL_LIB_FILE=libtcl86.a
tcllib/build.log:++ TCL_NEEDS_EXP_FILE=
tcllib/build.log:++ TCL_EXPORT_FILE_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tcllib/build.log:++ TCL_LIBS='-lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32'
tcllib/build.log:++ TCL_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tcllib/build.log:++ TCL_EXEC_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tcllib/build.log:++ TCL_SHLIB_CFLAGS=
tcllib/build.log:++ TCL_CFLAGS_WARNING='-Wall -Wdeclaration-after-statement'
tcllib/build.log:++ TCL_EXTRA_CFLAGS=-pipe
tcllib/build.log:++ TCL_SHLIB_LD='${CC} -shared'
tcllib/build.log:++ TCL_STLIB_LD='${AR} cr'
tcllib/build.log:++ TCL_SHLIB_LD_LIBS='${LIBS}'
tcllib/build.log:++ TCL_SHLIB_SUFFIX=.dll
tcllib/build.log:++ TCL_DL_LIBS=
tcllib/build.log:++ TCL_LD_FLAGS=' '
tcllib/build.log:++ TCL_CC_SEARCH_FLAGS=
tcllib/build.log:++ TCL_LD_SEARCH_FLAGS=
tcllib/build.log:++ TCL_COMPAT_OBJS=
tcllib/build.log:++ TCL_RANLIB=i586-mingw32msvc-ranlib
tcllib/build.log:++ TCL_LIB_FLAG=
tcllib/build.log:++ TCL_BUILD_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tcllib/build.log:++ TCL_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltcl86'
tcllib/build.log:++ TCL_INCLUDE_SPEC=-I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tcllib/build.log:++ TCL_LIB_VERSIONS_OK=
tcllib/build.log:++ TCL_SHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.dll'
tcllib/build.log:++ TCL_UNSHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tcllib/build.log:++ TCL_SRC_DIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tcllib/build.log:++ TCL_PACKAGE_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
tcllib/build.log:++ TCL_SUPPORTS_STUBS=1
tcllib/build.log:++ TCL_STUB_LIB_FILE=libtclstub86.a
tcllib/build.log:++ TCL_STUB_LIB_FLAG=-ltclstub86
tcllib/build.log:++ TCL_BUILD_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tcllib/build.log:++ TCL_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltclstub
tcllib/build.log:++ TCL_BUILD_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tcllib/build.log:++ TCL_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/libtclstub86
tcllib/build.log:++ TCL_THREADS=1
tcllib/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst /tmp/kitcreator-web/bui
tcllib/build.log:+ export TCL_VERSION
tcllib/build.log:+ init_kitcreator
tcllib/build.log:+ :
tcllib/build.log:+ predownload
tcllib/build.log:+ :
tcllib/build.log:+ download
tcllib/build.log:+ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/buildsrc ']'
tcllib/build.log:+ '[' -n http://sourceforge.net/projects/tcllib/files/tcllib/1.18/tcllib-1.18.tar.bz2 ']'
tcllib/build.log:++ echo http://sourceforge.net/projects/tcllib/files/tcllib/1.18/tcllib-1.18.tar.bz2
tcllib/build.log:++ sed 's@?.*%@'
tcllib/build.log:+ archivetype=http://sourceforge.net/projects/tcllib/files/tcllib/1.18/tcllib-1.18.tar.bz2
tcllib/build.log:+ case "${archivetype}" in
tcllib/build.log:++ echo http://sourceforge.net/projects/tcllib/files/tcllib/1.18/tcllib-1.18.tar.bz2
tcllib/build.log:++ sed 's@?.*%.tar\@tar.@'
tcllib/build.log:+ archivetype=tar.bz2
tcllib/build.log:+ pkgarchive=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src/tcllib-1.18.tar.bz2
tcllib/build.log:+ mkdir /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src
tcllib/build.log:+ '[' -n http://sourceforge.net/projects/tcllib/files/tcllib/1.18/tcllib-1.18.tar.bz2 -a -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92
tcllib/build.log:+ /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/common/helpers/download http://sourceforge.r
tcllib/build.log:--2019-12-17 16:38:30-- http://hashcache.rkeene.org/sha256/73ee3067e20663e9401d0291028f9a5ffab8e71c7bbe1673c79edb5f266cfe7c
tcllib/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tcllib/build.log:Connecting to hashcache.rkeene.org|2607:f1c0:84b:4b01:d73f:f114:30e7:e89d|:80... connected.
tcllib/build.log:HTTP request sent, awaiting response... 200 OK
tcllib/build.log:Length: 7641997 (7.3M) [application/octet-stream]
tcllib/build.log:Saving to: '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src/tcllib-1.18.tar.bz2.new'
tcllib/build.log:
tcllib/build.log:  0K ..... 0% 64.0M 0s
tcllib/build.log: 50K ..... 1% 44.5M 0s
tcllib/build.log:100K ..... 2% 17.9M 0s
tcllib/build.log:150K ..... 2% 83.2M 0s
tcllib/build.log:200K ..... 3% 68.8M 0s
tcllib/build.log:250K ..... 4% 75.1M 0s
tcllib/build.log:300K ..... 4% 102M 0s
tcllib/build.log:350K ..... 5% 94.2M 0s
tcllib/build.log:400K ..... 6% 60.9M 0s
tcllib/build.log:450K ..... 6% 105M 0s
tcllib/build.log:500K ..... 7% 89.8M 0s
tcllib/build.log:550K ..... 8% 98.9M 0s
tcllib/build.log:600K ..... 8% 76.7M 0s
tcllib/build.log:650K ..... 9% 102M 0s
tcllib/build.log:700K ..... 10% 105M 0s
tcllib/build.log:750K ..... 10% 95.8M 0s
tcllib/build.log:800K ..... 11% 82.4M 0s
tcllib/build.log:850K ..... 12% 108M 0s
tcllib/build.log:900K ..... 12% 73.2M 0s
tcllib/build.log:950K ..... 13% 106M 0s
tcllib/build.log:1000K ..... 14% 80.7M 0s
tcllib/build.log:1050K ..... 14% 103M 0s
tcllib/build.log:1100K ..... 15% 109M 0s
tcllib/build.log:1150K ..... 16% 92.5M 0s
tcllib/build.log:1200K ..... 16% 90.0M 0s
tcllib/build.log:1250K ..... 17% 94.5M 0s
tcllib/build.log:1300K ..... 18% 106M 0s
tcllib/build.log:1350K ..... 18% 107M 0s
tcllib/build.log:1400K ..... 19% 79.8M 0s
tcllib/build.log:1450K ..... 20% 108M 0s
tcllib/build.log:1500K ..... 20% 94.9M 0s
tcllib/build.log:1550K ..... 21% 101M 0s

```

tcllib/build.log: 1600K	22%	93.2M	0s
tcllib/build.log: 1650K	22%	92.5M	0s
tcllib/build.log: 1700K	23%	105M	0s
tcllib/build.log: 1750K	24%	108M	0s
tcllib/build.log: 1800K	24%	80.4M	0s
tcllib/build.log: 1850K	25%	107M	0s
tcllib/build.log: 1900K	26%	91.5M	0s
tcllib/build.log: 1950K	26%	111M	0s
tcllib/build.log: 2000K	27%	91.5M	0s
tcllib/build.log: 2050K	28%	94.1M	0s
tcllib/build.log: 2100K	28%	107M	0s
tcllib/build.log: 2150K	29%	93.1M	0s
tcllib/build.log: 2200K	30%	87.8M	0s
tcllib/build.log: 2250K	30%	112M	0s
tcllib/build.log: 2300K	31%	90.6M	0s
tcllib/build.log: 2350K	32%	108M	0s
tcllib/build.log: 2400K	32%	75.9M	0s
tcllib/build.log: 2450K	33%	103M	0s
tcllib/build.log: 2500K	34%	109M	0s
tcllib/build.log: 2550K	34%	93.3M	0s
tcllib/build.log: 2600K	35%	93.6M	0s
tcllib/build.log: 2650K	36%	95.8M	0s
tcllib/build.log: 2700K	36%	97.5M	0s
tcllib/build.log: 2750K	37%	99.3M	0s
tcllib/build.log: 2800K	38%	82.7M	0s
tcllib/build.log: 2850K	38%	106M	0s
tcllib/build.log: 2900K	39%	108M	0s
tcllib/build.log: 2950K	40%	89.8M	0s
tcllib/build.log: 3000K	40%	96.4M	0s
tcllib/build.log: 3050K	41%	92.1M	0s
tcllib/build.log: 3100K	42%	110M	0s
tcllib/build.log: 3150K	42%	111M	0s
tcllib/build.log: 3200K	43%	80.5M	0s
tcllib/build.log: 3250K	44%	109M	0s
tcllib/build.log: 3300K	44%	99.6M	0s
tcllib/build.log: 3350K	45%	112M	0s
tcllib/build.log: 3400K	46%	89.6M	0s
tcllib/build.log: 3450K	46%	95.9M	0s
tcllib/build.log: 3500K	47%	106M	0s
tcllib/build.log: 3550K	48%	95.0M	0s
tcllib/build.log: 3600K	48%	90.8M	0s
tcllib/build.log: 3650K	49%	102M	0s
tcllib/build.log: 3700K	50%	92.2M	0s
tcllib/build.log: 3750K	50%	104M	0s
tcllib/build.log: 3800K	51%	88.1M	0s
tcllib/build.log: 3850K	52%	108M	0s
tcllib/build.log: 3900K	52%	110M	0s
tcllib/build.log: 3950K	53%	99.6M	0s
tcllib/build.log: 4000K	54%	94.0M	0s
tcllib/build.log: 4050K	54%	109M	0s
tcllib/build.log: 4100K	55%	95.1M	0s
tcllib/build.log: 4150K	56%	102M	0s
tcllib/build.log: 4200K	56%	75.5M	0s
tcllib/build.log: 4250K	57%	111M	0s
tcllib/build.log: 4300K	58%	105M	0s
tcllib/build.log: 4350K	58%	97.1M	0s
tcllib/build.log: 4400K	59%	91.5M	0s
tcllib/build.log: 4450K	60%	102M	0s
tcllib/build.log: 4500K	60%	107M	0s
tcllib/build.log: 4550K	61%	111M	0s
tcllib/build.log: 4600K	62%	87.2M	0s
tcllib/build.log: 4650K	62%	112M	0s
tcllib/build.log: 4700K	63%	97.1M	0s
tcllib/build.log: 4750K	64%	112M	0s
tcllib/build.log: 4800K	64%	95.2M	0s
tcllib/build.log: 4850K	65%	101M	0s
tcllib/build.log: 4900K	66%	109M	0s
tcllib/build.log: 4950K	66%	112M	0s
tcllib/build.log: 5000K	67%	86.8M	0s
tcllib/build.log: 5050K	68%	109M	0s
tcllib/build.log: 5100K	69%	95.0M	0s
tcllib/build.log: 5150K	69%	121M	0s
tcllib/build.log: 5200K	70%	104M	0s
tcllib/build.log: 5250K	71%	99.7M	0s
tcllib/build.log: 5300K	71%	131M	0s
tcllib/build.log: 5350K	72%	94.8M	0s
tcllib/build.log: 5400K	73%	94.9M	0s
tcllib/build.log: 5450K	73%	97.9M	0s
tcllib/build.log: 5500K	74%	97.2M	0s
tcllib/build.log: 5550K	75%	105M	0s
tcllib/build.log: 5600K	75%	72.7M	0s
tcllib/build.log: 5650K	76%	94.6M	0s
tcllib/build.log: 5700K	77%	119M	0s
tcllib/build.log: 5750K	77%	99.8M	0s
tcllib/build.log: 5800K	78%	115M	0s
tcllib/build.log: 5850K	79%	95.8M	0s
tcllib/build.log: 5900K	79%	130M	0s
tcllib/build.log: 5950K	80%	110M	0s
tcllib/build.log: 6000K	81%	97.3M	0s
tcllib/build.log: 6050K	81%	109M	0s
tcllib/build.log: 6100K	82%	111M	0s
tcllib/build.log: 6150K	83%	100M	0s
tcllib/build.log: 6200K	83%	104M	0s
tcllib/build.log: 6250K	84%	103M	0s
tcllib/build.log: 6300K	85%	110M	0s
tcllib/build.log: 6350K	85%	130M	0s
tcllib/build.log: 6400K	86%	82.8M	0s
tcllib/build.log: 6450K	87%	121M	0s

```

tcllib/build.log: 6500K ..... 87% 96.7M 0s
tcllib/build.log: 6550K ..... 88% 110M 0s
tcllib/build.log: 6600K ..... 89% 88.6M 0s
tcllib/build.log: 6650K ..... 89% 97.3M 0s
tcllib/build.log: 6700K ..... 90% 103M 0s
tcllib/build.log: 6750K ..... 91% 93.7M 0s
tcllib/build.log: 6800K ..... 91% 89.2M 0s
tcllib/build.log: 6850K ..... 92% 108M 0s
tcllib/build.log: 6900K ..... 93% 95.8M 0s
tcllib/build.log: 6950K ..... 93% 121M 0s
tcllib/build.log: 7000K ..... 94% 88.3M 0s
tcllib/build.log: 7050K ..... 95% 124M 0s
tcllib/build.log: 7100K ..... 95% 109M 0s
tcllib/build.log: 7150K ..... 96% 106M 0s
tcllib/build.log: 7200K ..... 97% 104M 0s
tcllib/build.log: 7250K ..... 97% 117M 0s
tcllib/build.log: 7300K ..... 98% 105M 0s
tcllib/build.log: 7350K ..... 99% 110M 0s
tcllib/build.log: 7400K ..... 99% 101M 0s
tcllib/build.log: 7450K ..... 100% 99.5M=0.08s
tcllib/build.log:
tcllib/build.log:2019-12-17 16:38:30 (94.2 MB/s) - '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src,
tcllib/build.log:
tcllib/build.log:+ return 0
tcllib/build.log:+ postdownload
tcllib/build.log:+ :
tcllib/build.log:+ extract
tcllib/build.log:+ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/buildsrc ']'
tcllib/build.log:+ '[' -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src/tcllib-1.18.tar.bz2 ']'
tcllib/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/build/workdir-967299913101216685:
tcllib/build.log:+ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/build/workdir-967299913101216685:
tcllib/build.log:+ case "${pkgarch}" in
tcllib/build.log:+ bzip2 -dc /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/src/tcllib-1.18.tar.bz2
tcllib/build.log:+ tar -xf -
tcllib/build.log:+ shopt -s dotglob
tcllib/build.log:++ echo ./tcllib-1.18
tcllib/build.log:+ dir=./tcllib-1.18
tcllib/build.log:+ '[' -d ./tcllib-1.18 ']'
tcllib/build.log:+ mv ./tcllib-1.18/ChangeLog ./tcllib-1.18/DESCRIPTION.txt ./tcllib-1.18/INSTALL.txt ./tcllib-1.18/Makefile.in ./tcllib-1.18/README ./tcll
tcllib/build.log:+ rmdir ./tcllib-1.18
tcllib/build.log:+ exit 0
tcllib/build.log:+ return 0
tcllib/build.log:+ apply_patches
tcllib/build.log:+ local patch
tcllib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff "${patchdir}/*/*.diff
tcllib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/patches/all/tcllib-1.18-
tcllib/build.log:+ continue
tcllib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff "${patchdir}/*/*.diff
tcllib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/patches/8.6/tcllib-1.18-
tcllib/build.log:+ continue
tcllib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff "${patchdir}/*/*.diff
tcllib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/patches/*/*.diff ']'
tcllib/build.log:+ continue
tcllib/build.log:+ return 0
tcllib/build.log:+ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/build/workdir-967299913101216685:
tcllib/build.log:+ preconfigure
tcllib/build.log:+ :
tcllib/build.log:+ configure
tcllib/build.log:+ local tryopts tryopt
tcllib/build.log:+ local staticpkg staticpkgvar
tcllib/build.log:+ local isshared
tcllib/build.log:+ local save_cflags
tcllib/build.log:+ local base_var kc_var
tcllib/build.log:++ echo STATICTcllib
tcllib/build.log:++ dd conv=ucase
tcllib/build.log:+ staticpkgvar=STATICTCLLIB
tcllib/build.log:++ eval 'echo "$STATICTCLLIB"'
tcllib/build.log:+++ echo ''
tcllib/build.log:+ staticpkg=
tcllib/build.log:+ '[' '' = 1 ']'
tcllib/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tcllib/build.log:++ echo KC_tcllib_LDFLAGS
tcllib/build.log:++ dd conv=ucase
tcllib/build.log:+ kc_var=KC_TCLLIB_LDFLAGS
tcllib/build.log:++ eval 'echo "$KC_TCLLIB_LDFLAGS"'
tcllib/build.log:+++ echo ''
tcllib/build.log:+ kc_var_val=
tcllib/build.log:+ '[' -n '' ']'
tcllib/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tcllib/build.log:++ echo KC_tcllib_CFLAGS
tcllib/build.log:++ dd conv=ucase
tcllib/build.log:+ kc_var=KC_TCLLIB_CFLAGS
tcllib/build.log:++ eval 'echo "$KC_TCLLIB_CFLAGS"'
tcllib/build.log:+++ echo ''
tcllib/build.log:+ kc_var_val=
tcllib/build.log:+ '[' -n '' ']'
tcllib/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tcllib/build.log:++ echo KC_tcllib_CPPFLAGS
tcllib/build.log:++ dd conv=ucase
tcllib/build.log:+ kc_var=KC_TCLLIB_CPPFLAGS
tcllib/build.log:++ eval 'echo "$KC_TCLLIB_CPPFLAGS"'
tcllib/build.log:+++ echo ''
tcllib/build.log:+ kc_var_val=
tcllib/build.log:+ '[' -n '' ']'
tcllib/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tcllib/build.log:++ echo KC_tcllib_LIBS
tcllib/build.log:++ dd conv=ucase
tcllib/build.log:+ kc_var=KC_TCLLIB_LIBS

```

```

tcllib/build.log:++ eval 'echo "$KC_TCLLIB_LIBS"'
tcllib/build.log:+++ echo ''
tcllib/build.log:+ kc_var_val=
tcllib/build.log:+ '[' -n '' ']'
tcllib/build.log:+ '[' '' = 0 ']'
tcllib/build.log:+ '[' '' = -1 ']'
tcllib/build.log:+ tryopts=--disable-shared
tcllib/build.log:+ save_cflags=
tcllib/build.log:+ for tryopt in '$tryopts' __fail__
tcllib/build.log:+ '[' --disable-shared = __fail__ ']'
tcllib/build.log:+ make distclean
tcllib/build.log:+ '[' --disable-shared == --enable-shared ']'
tcllib/build.log:+ isshared=0
tcllib/build.log:+ '[' 0 = 0 -a kitsh = kitdll ']'
tcllib/build.log:+ CFLAGS=
tcllib/build.log:+ export CFLAGS
tcllib/build.log:+ '[' 0 = 0 ']'
tcllib/build.log:+ pkg_configure_shared_build=0
tcllib/build.log:+ '[' 0 = 0 ']'
tcllib/build.log:+ tryopt=--disable-shared --disable-stubs --enable-static'
tcllib/build.log:+ grep '['-]disable-stubs' configure
tcllib/build.log:+ '[' 0 = 0 ']'
tcllib/build.log:+ sed s@USE_TCL_STUBS@XXX_TCL_STUBS@g configure
tcllib/build.log:+ cat configure.new
tcllib/build.log:+ rm -f configure.new
tcllib/build.log:+ ./configure --disable-shared --disable-stubs --enable-static --prefix=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib
tcllib/build.log:configure: WARNING: If you wanted to set the --build type, don't use --host.
tcllib/build.log: If a cross compiler is detected then cross compile mode will be used.
tcllib/build.log:checking executable extension based on host type...
tcllib/build.log:checking for tclsh... /usr/bin/tclsh8.6
tcllib/build.log:configure: creating ./config.status
tcllib/build.log:config.status: creating Makefile
tcllib/build.log:+ break
tcllib/build.log:+ return 0
tcllib/build.log:+ postconfigure
tcllib/build.log:+ :
tcllib/build.log:+ prebuild
tcllib/build.log:+ :
tcllib/build.log:+ build
tcllib/build.log:+ make tcllibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib
tcllib/build.log:make: Nothing to be done for 'all'.
tcllib/build.log:+ postbuild
tcllib/build.log:+ :
tcllib/build.log:+ preinstall
tcllib/build.log:+ :
tcllib/build.log:+ install
tcllib/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib
tcllib/build.log:+ make tcllibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib install
tcllib/build.log:/usr/bin/tclsh8.6 `echo ./installer.tcl` \
tcllib/build.log: -no-examples -no-html \
tcllib/build.log: -pkg-path `echo /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib/tcllib1.18` \
tcllib/build.log: -app-path `echo /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin` \
tcllib/build.log: -nroff-path `echo /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/man/mann` \
tcllib/build.log: -no-wait -no-gui
tcllib/build.log:Installing Tcllib 1.18
tcllib/build.log:You have chosen the following configuration ...
tcllib/build.log:
tcllib/build.log:Packages: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib/tcllib1.18
tcllib/build.log:Applications: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin
tcllib/build.log:Examples: Not installed.
tcllib/build.log:Documentation:
tcllib/build.log:
tcllib/build.log: NROFF: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/man/mann
tcllib/build.log: HTML: Not installed.
tcllib/build.log:
tcllib/build.log:.....
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib/tcllib1.18/pkgIndex.tcl
tcllib/build.log:.....
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/dtpltite
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/nns
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/nnsd
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/nnslog
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/page
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/pt
tcllib/build.log:
tcllib/build.log:Generating /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/bin/tcldocstrip
tcllib/build.log:
tcllib/build.log:+ postinstall
tcllib/build.log:+ :
tcllib/build.log:+ creatoruntime
tcllib/build.log:+ local runtime libdir
tcllib/build.log:+ local runtime pkgdir
tcllib/build.log:+ local pkglibfile
tcllib/build.log:+ local file
tcllib/build.log:+ cp -r /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/inst/lib
tcllib/build.log:+ '[' -z '' ']'
tcllib/build.log:+ tclpkg=tcllib
tcllib/build.log:+ echo tcllib
tcllib/build.log:+ '[' -n '' ']'
tcllib/build.log:+ '[' -z '' ']'
tcllib/build.log:+ tclpkgversion=1.18
tcllib/build.log:+ runtime libdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/out/lib
tcllib/build.log:+ '[' 0 = 0 ']'

```

```

tcllib/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/out/lib -name '*.a'
tcllib/build.log:+ sed 's@[^/]*\.a$@@'
tcllib/build.log:+ head -n 1
tcllib/build.log:+ IFS=
tcllib/build.log:+ read -r runtimepkgdir
tcllib/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/out '(' -name '*.a' -o -name '*'
tcllib/build.log:+ IFS=
tcllib/build.log:+ read -r file
tcllib/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcllib/out -type f
tcllib/build.log:+ grep '^'
tcllib/build.log:+ return 0
tcllib/build.log:+ set +x
tclvfs/build.log:+ '[' 1 = 1 ']'
tclvfs/build.log:+ init
tclvfs/build.log:+ clean
tclvfs/build.log:+ rm -rf /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst /tmp/kitcreator-web/build
tclvfs/build.log:+ TCL_VERSION=unknown
tclvfs/build.log:+ '[' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh
tclvfs/build.log:+ source /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh
tclvfs/build.log:+ TCL_DLL_FILE=tcl86.dll
tclvfs/build.log:+ TCL_VERSION=8.6
tclvfs/build.log:+ TCL_MAJOR_VERSION=8
tclvfs/build.log:+ TCL_MINOR_VERSION=6
tclvfs/build.log:+ TCL_PATCH_LEVEL=.9
tclvfs/build.log:+ TCL_CC=i586-mingw32msvc-gcc
tclvfs/build.log:+ TCL_DEFS='-DPACKAGE_NAME="\\" -DPACKAGE_TARNAME="\\" -DPACKAGE_VERSION="\\" -DPACKAGE_STRING="\\" -DPACKAGE_BUGREPORT="\\" -DSTDC_HEADI
tclvfs/build.log:+ TCL_DBGX=
tclvfs/build.log:+ TCL_CFLAGS_DEBUG=-g
tclvfs/build.log:+ TCL_CFLAGS_OPTIMIZE='-O2 -fomit-frame-pointer'
tclvfs/build.log:+ TCL_LDFLAGS_DEBUG=
tclvfs/build.log:+ TCL_LDFLAGS_OPTIMIZE=
tclvfs/build.log:+ TCL_SHARED_BUILD=0
tclvfs/build.log:+ TCL_LIB_FILE=libtcl86.a
tclvfs/build.log:+ TCL_NEEDS_EXP_FILE=
tclvfs/build.log:+ TCL_EXPORT_FILE_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tclvfs/build.log:+ TCL_LIBS='-lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32'
tclvfs/build.log:+ TCL_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tclvfs/build.log:+ TCL_EXEC_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tclvfs/build.log:+ TCL_SHLIB_CFLAGS=
tclvfs/build.log:+ TCL_CFLAGS_WARNING='-Wall -Wdeclaration-after-statement'
tclvfs/build.log:+ TCL_EXTRA_CFLAGS=-pipe
tclvfs/build.log:+ TCL_SHLIB_LD='${CC} -shared'
tclvfs/build.log:+ TCL_STLIB_LD='${AR} cr'
tclvfs/build.log:+ TCL_SHLIB_LD_LIBS='${LIBS}'
tclvfs/build.log:+ TCL_SHLIB_SUFFIX=.dll
tclvfs/build.log:+ TCL_DL_LIBS=
tclvfs/build.log:+ TCL_LD_FLAGS=' '
tclvfs/build.log:+ TCL_CC_SEARCH_FLAGS=
tclvfs/build.log:+ TCL_LD_SEARCH_FLAGS=
tclvfs/build.log:+ TCL_COMPAT_OBJS=
tclvfs/build.log:+ TCL_RANLIB=i586-mingw32msvc-ranlib
tclvfs/build.log:+ TCL_LIB_FLAG=
tclvfs/build.log:+ TCL_BUILD_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tclvfs/build.log:+ TCL_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltcl86'
tclvfs/build.log:+ TCL_INCLUDE_SPEC=-I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tclvfs/build.log:+ TCL_LIB_VERSIONS_OK=
tclvfs/build.log:+ TCL_SHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.dll'
tclvfs/build.log:+ TCL_UNSHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tclvfs/build.log:+ TCL_SRC_DIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tclvfs/build.log:+ TCL_PACKAGE_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
tclvfs/build.log:+ TCL_SUPPORTS_STUBS=1
tclvfs/build.log:+ TCL_STUB_LIB_FILE=libtclstub86.a
tclvfs/build.log:+ TCL_STUB_LIB_FLAG=-ltclstub86
tclvfs/build.log:+ TCL_BUILD_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tclvfs/build.log:+ TCL_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltclstub
tclvfs/build.log:+ TCL_BUILD_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9,
tclvfs/build.log:+ TCL_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/libtclstub86
tclvfs/build.log:+ TCL_THREADES=1
tclvfs/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst /tmp/kitcreator-web/bui
tclvfs/build.log:+ export TCL_VERSION
tclvfs/build.log:+ init_kitcreator
tclvfs/build.log:+ pkg_always_static=1
tclvfs/build.log:+ predownload
tclvfs/build.log:+ :
tclvfs/build.log:+ download
tclvfs/build.log:+ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/buildsrc ']'
tclvfs/build.log:+ '[' -n http://sourceforge.net/projects/tclvfs/files/tclvfs/tclvfs-20080503/tclvfs-20080503.tar.gz ']'
tclvfs/build.log:+ echo http://sourceforge.net/projects/tclvfs/files/tclvfs/tclvfs-20080503/tclvfs-20080503.tar.gz
tclvfs/build.log:+ sed 's@?.*$@@'
tclvfs/build.log:+ archive=http://sourceforge.net/projects/tclvfs/files/tclvfs/tclvfs-20080503/tclvfs-20080503.tar.gz
tclvfs/build.log:+ case "${archive}" in
tclvfs/build.log:+ sed 's@^.*\.tar\.\@'
tclvfs/build.log:+ echo http://sourceforge.net/projects/tclvfs/files/tclvfs/tclvfs-20080503/tclvfs-20080503.tar.gz
tclvfs/build.log:+ archive=tar.gz
tclvfs/build.log:+ pkgarchive=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/src/tclvfs-20080503.tar.gz
tclvfs/build.log:+ mkdir /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/src
tclvfs/build.log:+ '[' -n http://sourceforge.net/projects/tclvfs/files/tclvfs/tclvfs-20080503/tclvfs-20080503.tar.gz -a -n /tmp/kitcreator-web/builds/7e2a2e
tclvfs/build.log:+ /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/common/helpers/download http://sourcefor
tclvfs/build.log:-2019-12-17 16:38:20-- http://hashcache.rkeene.org/sha256/0d90362078c8f59347b14be377e93063366d25d147397f845e705a6fd38f2
tclvfs/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tclvfs/build.log:Connecting to hashcache.rkeene.org|2607:f1c0:84b:4b01:d73f:f114:30e7:e89d|:80... connected.
tclvfs/build.log:HTTP request sent, awaiting response... 200 OK
tclvfs/build.log:Length: 258723 (253K) [application/octet-stream]
tclvfs/build.log:Saving to: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/src/tclvfs-20080503.tar.gz
tclvfs/build.log:
tclvfs/build.log: 0K ..... 19% 48.0M 0s
tclvfs/build.log: 50K ..... 39% 64.0M 0s
tclvfs/build.log:100K ..... 59% 60.5M 0s

```



```

tclvfs/build.log:Hunk #4 succeeded at 391 (offset 1 line).
tclvfs/build.log:Hunk #5 succeeded at 411 (offset 1 line).
tclvfs/build.log:Hunk #6 succeeded at 430 (offset 1 line).
tclvfs/build.log:Hunk #7 succeeded at 464 (offset 1 line).
tclvfs/build.log:+ return 0
tclvfs/build.log:+ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/build/workdir-9671738598323086916;
tclvfs/build.log:+ preconfigure
tclvfs/build.log:+ local buildtype
tclvfs/build.log:+ cp generic/vfs.c .
tclvfs/build.log:++ basename /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win
tclvfs/build.log:+ buildtype=win
tclvfs/build.log:+ [' win = win ']
tclvfs/build.log:+ TEA_PLATFORM=windows
tclvfs/build.log:+ export TEA_PLATFORM
tclvfs/build.log:+ CFLAGS=' -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win'
tclvfs/build.log:+ export CFLAGS
tclvfs/build.log:+ configure
tclvfs/build.log:+ local tryopts tryopt
tclvfs/build.log:+ local staticpkg staticpkgvar
tclvfs/build.log:+ local isshared
tclvfs/build.log:+ local save_cflags
tclvfs/build.log:+ local base_var kc_var
tclvfs/build.log:++ echo STATICTclvfs
tclvfs/build.log:++ dd conv=ucase
tclvfs/build.log:+ staticpkgvar=STATICTCLVFS
tclvfs/build.log:++ eval 'echo "$STATICTCLVFS"'
tclvfs/build.log:+++ echo ''
tclvfs/build.log:+ staticpkg=
tclvfs/build.log:+ [' 1 = 1 ']
tclvfs/build.log:+ staticpkg=1
tclvfs/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tclvfs/build.log:++ echo KC_tclvfs_LDFLAGS
tclvfs/build.log:++ dd conv=ucase
tclvfs/build.log:+ kc_var=KC_TCLVFS_LDFLAGS
tclvfs/build.log:++ eval 'echo "$KC_TCLVFS_LDFLAGS"'
tclvfs/build.log:+++ echo ''
tclvfs/build.log:+ kc_var_val=
tclvfs/build.log:+ [' -n ' ' ']
tclvfs/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tclvfs/build.log:++ echo KC_tclvfs_CFLAGS
tclvfs/build.log:++ dd conv=ucase
tclvfs/build.log:+ kc_var=KC_TCLVFS_CFLAGS
tclvfs/build.log:++ eval 'echo "$KC_TCLVFS_CFLAGS"'
tclvfs/build.log:+++ echo ''
tclvfs/build.log:+ kc_var_val=
tclvfs/build.log:+ [' -n ' ' ']
tclvfs/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tclvfs/build.log:++ echo KC_tclvfs_CPPFLAGS
tclvfs/build.log:++ dd conv=ucase
tclvfs/build.log:+ kc_var=KC_TCLVFS_CPPFLAGS
tclvfs/build.log:++ eval 'echo "$KC_TCLVFS_CPPFLAGS"'
tclvfs/build.log:+++ echo ''
tclvfs/build.log:+ kc_var_val=
tclvfs/build.log:+ [' -n ' ' ']
tclvfs/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tclvfs/build.log:++ echo KC_tclvfs_LIBS
tclvfs/build.log:++ dd conv=ucase
tclvfs/build.log:+ kc_var=KC_TCLVFS_LIBS
tclvfs/build.log:++ eval 'echo "$KC_TCLVFS_LIBS"'
tclvfs/build.log:+++ echo ''
tclvfs/build.log:+ kc_var_val=
tclvfs/build.log:+ [' -n ' ' ']
tclvfs/build.log:+ [' 1 = 0 ']
tclvfs/build.log:+ [' 1 = -1 ']
tclvfs/build.log:+ tryopts=-disable-shared
tclvfs/build.log:+ save_cflags=' -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win'
tclvfs/build.log:+ for tryopt in $tryopts __fail__
tclvfs/build.log:+ [' --disable-shared = __fail__ ']
tclvfs/build.log:+ make distclean
tclvfs/build.log:+ [' --disable-shared == --enable-shared ']
tclvfs/build.log:+ isshared=0
tclvfs/build.log:+ [' 0 = 0 -a kitsh = kitdll ']
tclvfs/build.log:+ CFLAGS=' -I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win'
tclvfs/build.log:+ export CFLAGS
tclvfs/build.log:+ [' 0 = 0 ']
tclvfs/build.log:+ pkg_configure_shared_build=0
tclvfs/build.log:+ [' 0 = 0 ']
tclvfs/build.log:+ tryopt='--disable-shared --disable-stubs --enable-static'
tclvfs/build.log:+ grep '[-]disable-stubs' configure
tclvfs/build.log:+ [' 0 = 0 ']
tclvfs/build.log:+ sed s@USE_TCL_STUBS@XXX_TCL_STUBS@g configure
tclvfs/build.log:+ cat configure.new
tclvfs/build.log:+ rm -f configure.new
tclvfs/build.log:+ ./configure --disable-shared --disable-stubs --enable-static --prefix=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb
tclvfs/build.log:configure: WARNING: If you wanted to set the --build type, don't use --host.
tclvfs/build.log: If a cross compiler is detected then cross compile mode will be used.
tclvfs/build.log:checking for correct TEA configuration... ok (TEA 3.5)
tclvfs/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/bu
tclvfs/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/v
tclvfs/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tclvfs/build.log:checking for C compiler default output file name... a.exe
tclvfs/build.log:checking whether the C compiler works... yes
tclvfs/build.log:checking whether we are cross compiling... yes
tclvfs/build.log:checking for suffix of executables... .exe
tclvfs/build.log:checking for suffix of object files... o
tclvfs/build.log:checking whether we are using the GNU C compiler... yes
tclvfs/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tclvfs/build.log:checking for i586-mingw32msvc-gcc option to accept ANSI C... none needed

```

```

tclvfs/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tclvfs/build.log:checking for a BSD-compatible install... /bin/ginstall -c
tclvfs/build.log:checking whether make sets $(MAKE)... yes
tclvfs/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tclvfs/build.log:checking for egrep... grep -E
tclvfs/build.log:checking for ANSI C header files... yes
tclvfs/build.log:checking for sys/types.h... yes
tclvfs/build.log:checking for sys/stat.h... yes
tclvfs/build.log:checking for stdlib.h... yes
tclvfs/build.log:checking for string.h... yes
tclvfs/build.log:checking for memory.h... yes
tclvfs/build.log:checking for strings.h... yes
tclvfs/build.log:checking for inttypes.h... yes
tclvfs/build.log:checking for stdint.h... yes
tclvfs/build.log:checking for unistd.h... yes
tclvfs/build.log:checking if the compiler understands -pipe... yes
tclvfs/build.log:checking whether byte ordering is bigendian... no
tclvfs/build.log:checking for sin... yes
tclvfs/build.log:checking for main in -lieee... no
tclvfs/build.log:checking for main in -linet... no
tclvfs/build.log:checking net/errno.h usability... no
tclvfs/build.log:checking net/errno.h presence... no
tclvfs/build.log:checking for net/errno.h... no
tclvfs/build.log:checking for connect... no
tclvfs/build.log:checking for setsockopt... no
tclvfs/build.log:checking for setsockopt in -lsocket... no
tclvfs/build.log:checking for accept... no
tclvfs/build.log:checking for gethostbyname... no
tclvfs/build.log:checking for gethostbyname in -lnsl... no
tclvfs/build.log:checking dirent.h... yes
tclvfs/build.log:checking errno.h usability... yes
tclvfs/build.log:checking errno.h presence... yes
tclvfs/build.log:checking for errno.h... yes
tclvfs/build.log:checking float.h usability... yes
tclvfs/build.log:checking float.h presence... yes
tclvfs/build.log:checking for float.h... yes
tclvfs/build.log:checking values.h usability... no
tclvfs/build.log:checking values.h presence... no
tclvfs/build.log:checking for values.h... no
tclvfs/build.log:checking limits.h usability... yes
tclvfs/build.log:checking limits.h presence... yes
tclvfs/build.log:checking for limits.h... yes
tclvfs/build.log:checking for stdlib.h... (cached) yes
tclvfs/build.log:checking for string.h... (cached) yes
tclvfs/build.log:checking sys/wait.h usability... no
tclvfs/build.log:checking sys/wait.h presence... no
tclvfs/build.log:checking for sys/wait.h... no
tclvfs/build.log:checking dlfcn.h usability... no
tclvfs/build.log:checking dlfcn.h presence... no
tclvfs/build.log:checking for dlfcn.h... no
tclvfs/build.log:checking sys/param.h usability... yes
tclvfs/build.log:checking sys/param.h presence... yes
tclvfs/build.log:checking for sys/param.h... yes
tclvfs/build.log:checking for Tcl private include files... Using srcdir found in tclConfig.sh: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f8
tclvfs/build.log:checking for pthread_mutex_init in -lpthread... yes
tclvfs/build.log:checking for building with threads... yes (default)
tclvfs/build.log:checking how to build libraries... static
tclvfs/build.log:checking if 64bit support is requested... no
tclvfs/build.log:checking if 64bit Sparc VIS support is requested... no
tclvfs/build.log:checking system version... Linux-4.4.157
tclvfs/build.log:checking for dlopen in -ldl... no
tclvfs/build.log:checking for ar... i586-mingw32msvc-ar
tclvfs/build.log:checking for required early compiler flags... none
tclvfs/build.log:checking for 64-bit integer type... long long
tclvfs/build.log:checking for struct dirent64... no
tclvfs/build.log:checking for struct stat64... yes
tclvfs/build.log:checking for open64... no
tclvfs/build.log:checking for lseek64... yes
tclvfs/build.log:checking for off64_t... no
tclvfs/build.log:checking for build with symbols... no
tclvfs/build.log:checking for tclsh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/1
tclvfs/build.log:configure: creating ./config.status
tclvfs/build.log:config.status: creating Makefile
tclvfs/build.log:config.status: creating pkgIndex.tcl
tclvfs/build.log:+ break
tclvfs/build.log:+ return 0
tclvfs/build.log:+ postconfigure
tclvfs/build.log:+ :
tclvfs/build.log:+ prebuild
tclvfs/build.log:+ :
tclvfs/build.log:+ build
tclvfs/build.log:+ make tcllibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib
tclvfs/build.log:i586-mingw32msvc-gcc -pipe -DPACKAGE_NAME="\vfs\" -DPACKAGE_TARNAME="\vfs\" -DPACKAGE_VERSION="\1.3\" -DPACKAGE_STRING="\vfs 1.3\" -DPAC
tclvfs/build.log:rm -f libvfs1.3.a
tclvfs/build.log:i586-mingw32msvc-ar cr libvfs1.3.a vfs.o
tclvfs/build.log:i586-mingw32msvc-ranlib libvfs1.3.a
tclvfs/build.log:+ postbuild
tclvfs/build.log:+ :
tclvfs/build.log:+ preinstall
tclvfs/build.log:+ :
tclvfs/build.log:+ install
tclvfs/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib
tclvfs/build.log:+ make tcllibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib install
tclvfs/build.log:Installing libvfs1.3.a in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vfs1
tclvfs/build.log: i586-mingw32msvc-ranlib /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vfs1
tclvfs/build.log:Installing pkgIndex.tcl in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vfs1
tclvfs/build.log: i586-mingw32msvc-ranlib /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vfs1
tclvfs/build.log:i586-mingw32msvc-ranlib: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vfs1

```

```

tclvfs/build.log:Installing library files in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib/vf
tclvfs/build.log: ftpvfs.tcl
tclvfs/build.log: httpvfs.tcl
tclvfs/build.log: mk4vfs.tcl
tclvfs/build.log: starkit.tcl
tclvfs/build.log: tarvfs.tcl
tclvfs/build.log: tclprocvfs.tcl
tclvfs/build.log: testvfs.tcl
tclvfs/build.log: vfsUrl.tcl
tclvfs/build.log: vfsUtils.tcl
tclvfs/build.log: vfslib.tcl
tclvfs/build.log: webdavvfs.tcl
tclvfs/build.log: zipvfs.tcl
tclvfs/build.log: tclIndex
tclvfs/build.log: tkvfs.tcl
tclvfs/build.log: mk4vfscompat.tcl
tclvfs/build.log: zipvfscompat.tcl
tclvfs/build.log: template/collatevfs.tcl
tclvfs/build.log: template/deltavfs.tcl
tclvfs/build.log: template/fishvfs.tcl
tclvfs/build.log: template/globfind.tcl
tclvfs/build.log: template/quotavfs.tcl
tclvfs/build.log: template/tdelta.tcl
tclvfs/build.log: template/templatevfs.tcl
tclvfs/build.log: template/versionvfs.tcl
tclvfs/build.log:Installing header files in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/include
tclvfs/build.log:Installing documentation in /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/man/m:
tclvfs/build.log: vfs.n
tclvfs/build.log: vfslib.n
tclvfs/build.log:+ postinstall
tclvfs/build.log:+ :
tclvfs/build.log:+ creatoruntime
tclvfs/build.log:+ local runtimeLIBDIR
tclvfs/build.log:+ local runtimePKGDIR
tclvfs/build.log:+ local pkgLIBFILE
tclvfs/build.log:+ local file
tclvfs/build.log:+ cp -r /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/inst/lib /tmp/kitcreator-web/bi
tclvfs/build.log:+ '[' -z '' ']'
tclvfs/build.log:+ tclpkg=tclvfs
tclvfs/build.log:+ echo tclvfs
tclvfs/build.log:+ '[' -n '' ']'
tclvfs/build.log:+ '[' -z '' ']'
tclvfs/build.log:+ tclpkgversion=20080503
tclvfs/build.log:+ runtimeLIBDIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out/lib
tclvfs/build.log:+ '[' 0 = 0 ']'
tclvfs/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out/lib -name '*.a'
tclvfs/build.log:+ sed 's@[^/]*\.a$@@'
tclvfs/build.log:+ head -n 1
tclvfs/build.log:+ IFS=
tclvfs/build.log:+ read -r runtimePKGDIR
tclvfs/build.log:+ '[' '!' -e /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out/lib/vfs1.3/pkgIndex.t:
tclvfs/build.log:+ IFS=
tclvfs/build.log:+ read -r runtimePKGDIR
tclvfs/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out '(' -name '*.a' -o -name '*'
tclvfs/build.log:+ IFS=
tclvfs/build.log:+ read -r file
tclvfs/build.log:+ rm -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out/lib/vfs1.3/libvfs1.3.a
tclvfs/build.log:+ IFS=
tclvfs/build.log:+ read -r file
tclvfs/build.log:+ find /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tclvfs/out -type f
tclvfs/build.log:+ grep '^
tclvfs/build.log:+ return 0
tclvfs/build.log:+ set +x
tdom/build.log:+ '[' 1 = 1 ']'
tdom/build.log:+ init
tdom/build.log:+ clean
tdom/build.log:+ rm -rf /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/inst /tmp/kitcreator-web/builds/7e
tdom/build.log:+ TCL_VERSION=unknown
tdom/build.log:+ '[' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh ']'
tdom/build.log:+ source /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh
tdom/build.log:++ TCL_DLL_FILE=tcl86.dll
tdom/build.log:++ TCL_VERSION=8.6
tdom/build.log:++ TCL_MAJOR_VERSION=8
tdom/build.log:++ TCL_MINOR_VERSION=6
tdom/build.log:++ TCL_PATCH_LEVEL=.9
tdom/build.log:++ TCL_CC=i586-mingw32msvc-gcc
tdom/build.log:++ TCL_DEFS='-DPACKAGE_NAME=\"\" -DPACKAGE_TARNAME=\"\" -DPACKAGE_VERSION=\"\" -DPACKAGE_STRING=\"\" -DPACKAGE_BUGREPORT=\"\" -DSTDC_HEADERS
tdom/build.log:++ TCL_DBGX=
tdom/build.log:++ TCL_CFLAGS_DEBUG=-g
tdom/build.log:++ TCL_CFLAGS_OPTIMIZE=-O2 -fomit-frame-pointer'
tdom/build.log:++ TCL_LDFLAGS_DEBUG=
tdom/build.log:++ TCL_LDFLAGS_OPTIMIZE=
tdom/build.log:++ TCL_SHARED_BUILD=0
tdom/build.log:++ TCL_LIB_FILE=libtcl86.a
tdom/build.log:++ TCL_NEEDS_EXP_FILE=
tdom/build.log:++ TCL_EXPORT_FILE_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tdom/build.log:++ TCL_LIBS='-lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32'
tdom/build.log:++ TCL_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tdom/build.log:++ TCL_EXEC_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tdom/build.log:++ TCL_SHLIB_CFLAGS=
tdom/build.log:++ TCL_CFLAGS_WARNING='-Wall -Wdeclaration-after-statement'
tdom/build.log:++ TCL_EXTRA_CFLAGS=-pipe
tdom/build.log:++ TCL_SHLIB_LD='${CC} -shared'
tdom/build.log:++ TCL_STLIB_LD='${AR} cr'
tdom/build.log:++ TCL_SHLIB_LD_LIBS='${LIBS}'
tdom/build.log:++ TCL_SHLIB_SUFFIX=.dll
tdom/build.log:++ TCL_DL_LIBS=
tdom/build.log:++ TCL_LD_FLAGS=' '

```

```

tdom/build.log:++ TCL_CC_SEARCH_FLAGS=
tdom/build.log:++ TCL_LD_SEARCH_FLAGS=
tdom/build.log:++ TCL_COMPAT_OBJS=
tdom/build.log:++ TCL_RANLIB=1586-mingw32msvc-ranlib
tdom/build.log:++ TCL_LIB_FLAG=
tdom/build.log:++ TCL_BUILD_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win
tdom/build.log:++ TCL_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltcl86'
tdom/build.log:++ TCL_INCLUDE_SPEC=-I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tdom/build.log:++ TCL_LIB_VERSIONS_OK=
tdom/build.log:++ TCL_SHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.dll'
tdom/build.log:++ TCL_UNSHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tdom/build.log:++ TCL_SRC_DIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tdom/build.log:++ TCL_PACKAGE_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
tdom/build.log:++ TCL_SUPPORTS_STUBS=1
tdom/build.log:++ TCL_STUB_LIB_FILE=libtclstub86.a
tdom/build.log:++ TCL_STUB_LIB_FLAG=-ltclstub86
tdom/build.log:++ TCL_BUILD_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
tdom/build.log:++ TCL_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltclstub86
tdom/build.log:++ TCL_BUILD_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
tdom/build.log:++ TCL_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/libtclstub86.a
tdom/build.log:++ TCL_THREADS=1
tdom/build.log:++ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/inst /tmp/kitcreator-web/builds,
tdom/build.log:++ export TCL_VERSION
tdom/build.log:++ init_kitcreator
tdom/build.log:++ :
tdom/build.log:++ predownload
tdom/build.log:++ :
tdom/build.log:++ download
tdom/build.log:++ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/buildsrc ']'
tdom/build.log:++ '[' -n http://tdom.org/downloads/tdom-0.9.1-src.tgz ']'
tdom/build.log:++ echo http://tdom.org/downloads/tdom-0.9.1-src.tgz
tdom/build.log:++ sed 's@^.*$@@'
tdom/build.log:++ archivetype=http://tdom.org/downloads/tdom-0.9.1-src.tgz
tdom/build.log:++ case "${archivetype}" in
tdom/build.log:++ echo http://tdom.org/downloads/tdom-0.9.1-src.tgz
tdom/build.log:++ sed 's@^.*$@@'
tdom/build.log:++ archivetype=tgz
tdom/build.log:++ pkgarchive=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/src/tdom-0.9.1.tgz
tdom/build.log:++ mkdir /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/src
tdom/build.log:++ '[' -n http://tdom.org/downloads/tdom-0.9.1-src.tgz -a -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcre
tdom/build.log:++ /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/common/helpers/download http://tdom.org/downl
tdom/build.log:--2019-12-17 16:38:33-- http://hashcache.rkeene.org/sha256/8e89b0fff005250b1117e05b986c94f119f8524601753c05df18e9b6de58fb8f
tdom/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tdom/build.log:Connecting to hashcache.rkeene.org|2607:f1c0:84b:4b01:d73f:f114:30e7:e89d|:80... connected.
tdom/build.log:HTTP request sent, awaiting response... 400 Failed to fetch remote file
tdom/build.log:2019-12-17 16:38:35 ERROR 400: Failed to fetch remote file.
tdom/build.log:
tdom/build.log:--2019-12-17 16:38:35-- http://tdom.org/downloads/tdom-0.9.1-src.tgz
tdom/build.log:Resolving tdom.org... 46.163.78.80
tdom/build.log:Connecting to tdom.org|46.163.78.80|:80... connected.
tdom/build.log:HTTP request sent, awaiting response... 200 OK
tdom/build.log:Length: 1100163 (1.0M) [application/x-gzip]
tdom/build.log:Saving to: '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/src/tdom-0.9.1.tgz.new'
tdom/build.log:
tdom/build.log:  0K ..... 4% 208K 5s
tdom/build.log:  50K ..... 9% 419K 4s
tdom/build.log: 100K ..... 13% 11.2M 2s
tdom/build.log: 150K ..... 18% 11.5M 2s
tdom/build.log: 200K ..... 23% 434K 2s
tdom/build.log: 250K ..... 27% 11.3M 1s
tdom/build.log: 300K ..... 32% 11.5M 1s
tdom/build.log: 350K ..... 37% 464K 1s
tdom/build.log: 400K ..... 41% 11.2M 1s
tdom/build.log: 450K ..... 46% 11.5M 1s
tdom/build.log: 500K ..... 51% 11.1M 1s
tdom/build.log: 550K ..... 55% 11.4M 0s
tdom/build.log: 600K ..... 60% 11.0M 0s
tdom/build.log: 650K ..... 65% 11.3M 0s
tdom/build.log: 700K ..... 69% 526K 0s
tdom/build.log: 750K ..... 74% 11.1M 0s
tdom/build.log: 800K ..... 79% 11.1M 0s
tdom/build.log: 850K ..... 83% 11.6M 0s
tdom/build.log: 900K ..... 88% 11.0M 0s
tdom/build.log: 950K ..... 93% 11.3M 0s
tdom/build.log: 100K ..... 97% 11.4M 0s
tdom/build.log: 1050K ..... 100% 11.5M=0.7s
tdom/build.log:
tdom/build.log:2019-12-17 16:38:36 (1.40 MB/s) - '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tdom/src/tdo
tdom/build.log:
tdom/build.log:Hash (sha256) mismatch: Got: 3b1f644cf07533fe4afaa8cb709cb00a899d9e9ebfa66f4674aa2dcfb398242c; Expected: 8e89b0fff005250b1117e05b986c94f119f
tdom/build.log:++ return 1
tdom/build.log:++ die 'download failed'
tdom/build.log:++ local msg
tdom/build.log:++ msg='download failed'
tdom/build.log:++ echo 'download failed'
tdom/build.log:++ download failed
tdom/build.log:++ exit 1
tdom/build.log:Skipping building Threads, not required for 8.6
tk/build.log:--2019-12-17 16:38:36-- http://hashcache.rkeene.org/sha256/d3f9161e8ba0f107fe8d4df1f6d3a14c30cc3512dfc12a795daa367a27660dac
tk/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tk/build.log:Connecting to hashcache.rkeene.org|2607:f1c0:84b:4b01:d73f:f114:30e7:e89d|:80... connected.
tk/build.log:HTTP request sent, awaiting response... 200 OK
tk/build.log:Length: 4364606 (4.2M) [application/octet-stream]
tk/build.log:Saving to: 'src/tk8.6.9.tar.gz.new'
tk/build.log:
tk/build.log:  0K ..... 1% 35.8M 0s
tk/build.log:  50K ..... 2% 58.6M 0s
tk/build.log: 100K ..... 3% 49.4M 0s

```

tk/build.log:	150K	4%	104M	0s
tk/build.log:	200K	5%	139M	0s
tk/build.log:	250K	7%	84.7M	0s
tk/build.log:	300K	8%	132M	0s
tk/build.log:	350K	9%	113M	0s
tk/build.log:	400K	10%	122M	0s
tk/build.log:	450K	11%	127M	0s
tk/build.log:	500K	12%	105M	0s
tk/build.log:	550K	14%	136M	0s
tk/build.log:	600K	15%	116M	0s
tk/build.log:	650K	16%	105M	0s
tk/build.log:	700K	17%	136M	0s
tk/build.log:	750K	18%	105M	0s
tk/build.log:	800K	19%	138M	0s
tk/build.log:	850K	21%	86.1M	0s
tk/build.log:	900K	22%	114M	0s
tk/build.log:	950K	23%	121M	0s
tk/build.log:	1000K	24%	110M	0s
tk/build.log:	1050K	25%	123M	0s
tk/build.log:	1100K	26%	110M	0s
tk/build.log:	1150K	28%	121M	0s
tk/build.log:	1200K	29%	141M	0s
tk/build.log:	1250K	30%	110M	0s
tk/build.log:	1300K	31%	142M	0s
tk/build.log:	1350K	32%	138M	0s
tk/build.log:	1400K	34%	123M	0s
tk/build.log:	1450K	35%	122M	0s
tk/build.log:	1500K	36%	124M	0s
tk/build.log:	1550K	37%	140M	0s
tk/build.log:	1600K	38%	140M	0s
tk/build.log:	1650K	39%	107M	0s
tk/build.log:	1700K	41%	134M	0s
tk/build.log:	1750K	42%	123M	0s
tk/build.log:	1800K	43%	144M	0s
tk/build.log:	1850K	44%	123M	0s
tk/build.log:	1900K	45%	124M	0s
tk/build.log:	1950K	46%	141M	0s
tk/build.log:	2000K	48%	141M	0s
tk/build.log:	2050K	49%	109M	0s
tk/build.log:	2100K	50%	139M	0s
tk/build.log:	2150K	51%	121M	0s
tk/build.log:	2200K	52%	141M	0s
tk/build.log:	2250K	53%	119M	0s
tk/build.log:	2300K	55%	123M	0s
tk/build.log:	2350K	56%	142M	0s
tk/build.log:	2400K	57%	118M	0s
tk/build.log:	2450K	58%	125M	0s
tk/build.log:	2500K	59%	141M	0s
tk/build.log:	2550K	60%	126M	0s
tk/build.log:	2600K	62%	142M	0s
tk/build.log:	2650K	63%	108M	0s
tk/build.log:	2700K	64%	144M	0s
tk/build.log:	2750K	65%	141M	0s
tk/build.log:	2800K	66%	99.8M	0s
tk/build.log:	2850K	68%	108M	0s
tk/build.log:	2900K	69%	118M	0s
tk/build.log:	2950K	70%	141M	0s
tk/build.log:	3000K	71%	138M	0s
tk/build.log:	3050K	72%	104M	0s
tk/build.log:	3100K	73%	142M	0s
tk/build.log:	3150K	75%	140M	0s
tk/build.log:	3200K	76%	122M	0s
tk/build.log:	3250K	77%	128M	0s
tk/build.log:	3300K	78%	94.8M	0s
tk/build.log:	3350K	79%	133M	0s
tk/build.log:	3400K	80%	117M	0s
tk/build.log:	3450K	82%	91.1M	0s
tk/build.log:	3500K	83%	115M	0s
tk/build.log:	3550K	84%	106M	0s
tk/build.log:	3600K	85%	120M	0s
tk/build.log:	3650K	86%	106M	0s
tk/build.log:	3700K	87%	104M	0s
tk/build.log:	3750K	89%	129M	0s
tk/build.log:	3800K	90%	125M	0s
tk/build.log:	3850K	91%	111M	0s
tk/build.log:	3900K	92%	129M	0s
tk/build.log:	3950K	93%	113M	0s
tk/build.log:	4000K	95%	121M	0s
tk/build.log:	4050K	96%	111M	0s
tk/build.log:	4100K	97%	136M	0s
tk/build.log:	4150K	98%	145M	0s
tk/build.log:	4200K	99%	126M	0s
tk/build.log:	4250K	100%	74.3M=0.04s	

tk/build.log:2019-12-17 16:38:36 (114 MB/s) - 'src/tk8.6.9.tar.gz.new' saved [4364606/4364606]

tk/build.log>Note: TCL_VERSION="8.6"
tk/build.log>Note: TK_VERSION="8.6"

tk/build.log:Applying: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patches/all/tk-8.6-fix-shobjidl-bug2;
tk/build.log:patching file win/tkWinDialog.c
tk/build.log:Reversed (or previously applied) patch detected! Assume -R? [n]
tk/build.log:Apply anyway? [n]
tk/build.log:Skipping patch.
tk/build.log:1 out of 1 hunks ignored -- saving rejects to file win/tkWinDialog.c.rej
tk/build.log:Applying: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patches/all/tk-8.6-fixshellitem.dif
tk/build.log:patching file win/tkWinDialog.c
tk/build.log:Reversed (or previously applied) patch detected! Assume -R? [n]
tk/build.log:Apply anyway? [n]

```
tk/build.log:Skipping patch.  
tk/build.log:2 out of 2 hunks ignored -- saving rejects to file win/tkWinDialog.c.rej  
tk/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patchscripts/fixfixstrtor  
tk/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patchscripts/macosex-fixhe  
tk/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patchscripts/visibility-t  
tk/build.log:Running patch script: /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/patchscripts/xmkmf-donotu  
tk/build.log:Running: ./configure --disable-shared --disable-symbols --prefix="/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/ki  
tk/build.log:configure: WARNING: If you wanted to set the --build type, don't use --host.  
tk/build.log: If a cross compiler is detected then cross compile mode will be used.  
tk/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc  
tk/build.log:checking for C compiler default output file name... a.exe  
tk/build.log:checking whether the C compiler works... yes  
tk/build.log:checking whether we are cross compiling... yes  
tk/build.log:checking for suffix of executables... .exe  
tk/build.log:checking for suffix of object files... o  
tk/build.log:checking whether we are using the GNU C compiler... yes  
tk/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes  
tk/build.log:checking for i586-mingw32msvc-gcc option to accept ANSI C... none needed  
tk/build.log:checking for inline... inline  
tk/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E  
tk/build.log:checking for egrep... grep -E  
tk/build.log:checking for ANSI C header files... yes  
tk/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar  
tk/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib  
tk/build.log:checking for i586-mingw32msvc-windres... i586-mingw32msvc-windres  
tk/build.log:checking whether make sets $(MAKE)... yes  
tk/build.log:checking for building with threads... yes (default)  
tk/build.log:checking how to build libraries... static  
tk/build.log:checking for Tcl configuration... found /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/  
tk/build.log:checking for existence of /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/t  
tk/build.log:checking for sys/types.h... yes  
tk/build.log:checking for sys/stat.h... yes  
tk/build.log:checking for stdlib.h... yes  
tk/build.log:checking for string.h... yes  
tk/build.log:checking for memory.h... yes  
tk/build.log:checking for strings.h... yes  
tk/build.log:checking for inttypes.h... yes  
tk/build.log:checking for stdint.h... yes  
tk/build.log:checking for unistd.h... yes  
tk/build.log:checking if 64bit support is requested... no  
tk/build.log:checking if Windows/CE build is requested... no  
tk/build.log:checking for Windows/CE celib directory... NO_CELIB  
tk/build.log:checking for cygpath... echo  
tk/build.log:checking for cross-compile version of gcc... no  
tk/build.log:checking for mingw32 version of gcc... yes  
tk/build.log:checking for working -municode linker flag... yes  
tk/build.log:checking compiler flags... using static flags  
tk/build.log:checking for SEH support in compiler... no  
tk/build.log:checking for EXCEPTION_DISPOSITION support in include files... yes  
tk/build.log:checking for winnt.h that ignores VOID define... no  
tk/build.log:checking for cast to union support... yes  
tk/build.log:checking errno.h usability... yes  
tk/build.log:checking errno.h presence... yes  
tk/build.log:checking for errno.h... yes  
tk/build.log:checking availability of _strtoi64... yes  
tk/build.log:checking for uxtheme.h... yes  
tk/build.log:checking for vssym32.h... yes  
tk/build.log:checking for build with symbols... no  
tk/build.log:checking whether to embed manifest... no  
tk/build.log:checking for tclsh in Tcl build directory... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/t  
tk/build.log:checking for tclsh... /usr/bin/tclsh8.6  
tk/build.log:configure: creating ./config.status  
tk/build.log:config.status: creating Makefile  
tk/build.log:config.status: creating tkConfig.sh  
tk/build.log:config.status: creating wish.exe.manifest  
tk/build.log:Running: make  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic  
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -Wdeclaration-after-statement -I"/././generic
```



```
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-ar cr libtk86.a tkConsole.o tkUnixMenubu.o tkUnixScale.o xcolors.o xdraw.o xgc.o ximage.o xutil.o tkWin3d.o tkWin32Dll.o tkW
tk/build.log:i586-mingw32msvc-ranlib libtk86.a
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-gcc -c -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING -Wall -wdeclaration-after-statement -I"../generic
tk/build.log:i586-mingw32msvc-ar cr libtkstub86.a tkStubLib.o ttkStubLib.o
tk/build.log:i586-mingw32msvc-ranlib libtkstub86.a
tk/build.log:i586-mingw32msvc-windres -o wish.res.o --define STATIC_BUILD --include "../generic" --include "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/libtcl86.a"
tk/build.log:i586-mingw32msvc-gcc -O2 -fomit-frame-pointer -DUNICODE -D_UNICODE -D_ATL_XP_TARGETING winMain.o libtk86.a \
tk/build.log:libtkstub86.a "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/libtcl86.a"
tk/build.log:wish.res.o -o wish86s.exe -mwindows -pipe -static-libgcc -municode
tk/build.log:Running: make install
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/bin
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6
tk/build.log:Installing wish86s.exe to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/bin/
tk/build.log:Creating package index /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/pkgIndex
tk/build.log:Installing tkConfig.sh to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/
tk/build.log:Installing libtk86.a to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/
tk/build.log:Installing libtkstub86.a to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/include
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/include/X11
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/images
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/mmsgs
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/ttk
tk/build.log:Installing header files to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/include/
tk/build.log:Installing library files to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6
tk/build.log:Installing library ttk directory
tk/build.log:Installing library images directory
tk/build.log:Installing translation directory
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/demos
tk/build.log:Making directory /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/demos/images
tk/build.log:Installing demos to /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/lib/tk8.6/demos/
tk/build.log:Installing demo images
tk/build.log:*** Importing user-specified icon
tk/build.log:*** Importing user-specified resources
tk/build.log:*** Creating tkbase.res.o to support Windows build
tk/build.log:"i586-mingw32msvc-windres" -o tkbase.res.o --define STATIC_BUILD --include "../generic" --include "/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tk/inst/bin/tk*.dll": No such fil
tk/build.log:+"[' 1 = 1']"
tk/build.log:++ init
tk/build.log:++ clean
tk/build.log:++ rm -rf /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/inst /tmp/kitcreator-web/builds/7e2a
tk/build.log:++ TCL_VERSION=unknown
tk/build.log:++ '[' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh ']'
tk/build.log:++ source /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh
tk/build.log:++ TCL_DLL_FILE=tcl86.dll
tk/build.log:++ TCL_VERSION=8.6
tk/build.log:++ TCL_MAJOR_VERSION=8
tk/build.log:++ TCL_MINOR_VERSION=6
tk/build.log:++ TCL_PATCH_LEVEL=.9
tk/build.log:++ TCL_CC=i586-mingw32msvc-gcc
tk/build.log:++ TCL_DEFS='-DPACKAGE_NAME="\\" -DPACKAGE_TARNAME="\\" -DPACKAGE_VERSION="\\" -DPACKAGE_STRING="\\" -DPACKAGE_BUGREPORT="\\" -DSTDC_HEADERS=
tk/build.log:++ TCL_DBGX=
tk/build.log:++ TCL_CFLAGS_DEBUG=-g
tk/build.log:++ TCL_CFLAGS_OPTIMIZE=-O2 -fomit-frame-pointer'
tk/build.log:++ TCL_LDFLAGS_DEBUG=
tk/build.log:++ TCL_LDFLAGS_OPTIMIZE=
tk/build.log:++ TCL_SHARED_BUILD=0
tk/build.log:++ TCL_LIB_FILE=libtk86.a
tk/build.log:++ TCL_NEEDS_EXP_FILE=
tk/build.log:++ TCL_EXPORT_FILE_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tk/build.log:++ TCL_LIBS='-lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32'
tk/build.log:++ TCL_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tk/build.log:++ TCL_EXEC_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
tk/build.log:++ TCL_SHLIB_CFLAGS=
tk/build.log:++ TCL_CFLAGS_WARNING='-Wall -wdeclaration-after-statement'
tk/build.log:++ TCL_EXTRA_CFLAGS=-pipe
tk/build.log:++ TCL_SHLIB_LD='${CC} -shared'
tk/build.log:++ TCL_STLIB_LD='${AR} cr'
tk/build.log:++ TCL_SHLIB_LD_LIBS='${LIBS}'
tk/build.log:++ TCL_SHLIB_SUFFIX=.dll
tk/build.log:++ TCL_DL_LIBS=
tk/build.log:++ TCL_LD_FLAGS=' '
tk/build.log:++ TCL_CC_SEARCH_FLAGS=
tk/build.log:++ TCL_LD_SEARCH_FLAGS=
tk/build.log:++ TCL_COMPAT_OBJS=
tk/build.log:++ TCL_RANLIB=i586-mingw32msvc-ranlib
tk/build.log:++ TCL_LIB_FLAG=
tk/build.log:++ TCL_BUILD_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win
tk/build.log:++ TCL_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltcl86'
tk/build.log:++ TCL_INCLUDE_SPEC='-I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
tk/build.log:++ TCL_LIB_VERSIONS_OK=
tk/build.log:++ TCL_SHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.dll'
tk/build.log:++ TCL_UNSHARED_LIB_SUFFIX='${NODOT_VERSION}${DBGX}.a'
tk/build.log:++ TCL_SRC_DIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
```



```

tls/build.log:++ TCL_PACKAGE_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
tls/build.log:++ TCL_SUPPORTS_STUBS=1
tls/build.log:++ TCL_STUB_LIB_FILE=libtclstub86.a
tls/build.log:++ TCL_STUB_LIB_FLAG=-ltclstub86
tls/build.log:++ TCL_BUILID_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9,
tls/build.log:++ TCL_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltclstub86
tls/build.log:++ TCL_BUILID_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wir
tls/build.log:++ TCL_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/libtclstub86.a
tls/build.log:++ TCL_THREADS=1
tls/build.log:++ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/inst /tmp/kitcreator-web/builds/7e
tls/build.log:++ export TCL_VERSION
tls/build.log:++ init_kitcreator
tls/build.log:++ :
tls/build.log:++ predownload
tls/build.log:++ :
tls/build.log:++ download
tls/build.log:++ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/buildsrc ']'
tls/build.log:++ '[' -n http://tcltls.rkeene.org/uv/tcltls-1.7.17.tar.gz ']'
tls/build.log:++ echo http://tcltls.rkeene.org/uv/tcltls-1.7.17.tar.gz
tls/build.log:++ sed 's@\\?.*$$$@'
tls/build.log:++ archivetype=http://tcltls.rkeene.org/uv/tcltls-1.7.17.tar.gz
tls/build.log:++ case "${archivetype}" in
tls/build.log:++ echo http://tcltls.rkeene.org/uv/tcltls-1.7.17.tar.gz
tls/build.log:++ sed 's@.*\\.tar\\.@tar.@'
tls/build.log:++ archivetype=tar.gz
tls/build.log:++ pkgarchive=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src/tls-1.7.17.tar.gz
tls/build.log:++ mkdir /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src
tls/build.log:++ '[' -n http://tcltls.rkeene.org/uv/tcltls-1.7.17.tar.gz -a -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kit
tls/build.log:++ /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/common/helpers/download http://tcltls.rkeene.org
tls/build.log:--2019-12-17 16:39:36-- http://hashcache.rkeene.org/sha256/1f8c9b1dae25c0dedcdacbb2fa9352cd2d07cfc9d5eaa5fa48e7e266f6f4cef1
tls/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
tls/build.log:Connecting to hashcache.rkeene.org[2607:f1c0:84b:4b01:d73f:f114:30e7:e89d]:80... connected.
tls/build.log:HTTP request sent, awaiting response... 200 OK
tls/build.log:Length: 163447 (160K) [application/octet-stream]
tls/build.log:Saving to: '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src/tls-1.7.17.tar.gz.new'
tls/build.log:
tls/build.log:  0K ..... 31% 25.3M 0s
tls/build.log: 50K ..... 62% 24.6M 0s
tls/build.log:100K ..... 93% 23.8M 0s
tls/build.log:150K ..... 100% 26.1M=0.006s
tls/build.log:
tls/build.log:2019-12-17 16:39:36 (24.7 MB/s) - '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src/tls-1
tls/build.log:
tls/build.log:++ return 0
tls/build.log:++ postdownload
tls/build.log:++ :
tls/build.log:++ extract
tls/build.log:++ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/buildsrc ']'
tls/build.log:++ '[' -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src/tls-1.7.17.tar.gz ']'
tls/build.log:++ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/build/workdir-96757831329221792448
tls/build.log:++ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/build/workdir-967578313292217924480.world
tls/build.log:++ case "${pkgarchive}" in
tls/build.log:++ gzip -dc /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/src/tls-1.7.17.tar.gz
tls/build.log:++ tar -xvf -
tls/build.log:++ shopt -s dotglob
tls/build.log:++ echo ./tcltls-1.7.17
tls/build.log:++ dir=./tcltls-1.7.17
tls/build.log:++ '[' -d ./tcltls-1.7.17 ']'
tls/build.log:++ mv ./tcltls-1.7.17/ChangeLog ./tcltls-1.7.17/MD5SUMS ./tcltls-1.7.17/Makefile.in ./tcltls-1.7.17/README.txt ./tcltls-1.7.17/SHA256SUMS ./tcl
tls/build.log:++ rmdir ./tcltls-1.7.17
tls/build.log:++ exit 0
tls/build.log:++ return 0
tls/build.log:++ apply_patches
tls/build.log:++ local patch
tls/build.log:++ for patch in "${patchdir}/all/${pkg}-${version}*.diff" "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff" "${patchdir}/*.diff"
tls/build.log:++ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/patches/all/tls-1.7.17-*.diff ']'
tls/build.log:++ continue
tls/build.log:++ for patch in "${patchdir}/all/${pkg}-${version}*.diff" "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff" "${patchdir}/*.diff"
tls/build.log:++ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/patches/8.6/tls-1.7.17-*.diff ']'
tls/build.log:++ continue
tls/build.log:++ for patch in "${patchdir}/all/${pkg}-${version}*.diff" "${patchdir}/${TCL_VERSION}/${pkg}-${version}*.diff" "${patchdir}/*.diff"
tls/build.log:++ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/patches/*.diff ']'
tls/build.log:++ continue
tls/build.log:++ return 0
tls/build.log:++ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tls/build/workdir-967578313292217924480.world
tls/build.log:++ preconfigure
tls/build.log:++ '[' -z '' ']'
tls/build.log:++ CPP='i586-mingw32msvc-gcc -E'
tls/build.log:++ SSLPKGCONFIGDIR=
tls/build.log:++ SSLDIR=
tls/build.log:++ '[' -n '' ']'
tls/build.log:++ SSLGUESS=0
tls/build.log:++ '[' -z '' ']'
tls/build.log:++ pkg-config --exists openssl
tls/build.log:++ SSLGUESS=1
tls/build.log:++ '[' -z '' -a 1 = 0 ']'
tls/build.log:++ '[' -z '' -a -z '' -a 1 = 0 ']'
tls/build.log:++ '[' -n '' ']'
tls/build.log:++ '[' -n '' ']'
tls/build.log:++ '[' '' = 1 ']'
tls/build.log:++ configure
tls/build.log:++ local tryopts tryopt
tls/build.log:++ local staticpkg staticpkgvar
tls/build.log:++ local isshared
tls/build.log:++ local save_cflags
tls/build.log:++ local base_var kc_var
tls/build.log:++ echo STATICTls
tls/build.log:++ dd conv=ucase

```

```

tls/build.log:+ staticpkgvar=STATICTLS
tls/build.log:++ eval 'echo "$STATICTLS"'
tls/build.log:+++ echo ''
tls/build.log:+ staticpkg=
tls/build.log:+ '[' '' = 1 ']'
tls/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tls/build.log:++ echo KC_tls_LDFLAGS
tls/build.log:++ dd conv=ucase
tls/build.log:+ kc_var=KC_TLS_LDFLAGS
tls/build.log:++ eval 'echo "$KC_TLS_LDFLAGS"'
tls/build.log:+++ echo ''
tls/build.log:+ kc_var_val=
tls/build.log:+ '[' -n '' ']'
tls/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tls/build.log:++ echo KC_tls_CFLAGS
tls/build.log:++ dd conv=ucase
tls/build.log:+ kc_var=KC_TLS_CFLAGS
tls/build.log:++ eval 'echo "$KC_TLS_CFLAGS"'
tls/build.log:+++ echo ''
tls/build.log:+ kc_var_val=
tls/build.log:+ '[' -n '' ']'
tls/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tls/build.log:++ echo KC_tls_CPPFLAGS
tls/build.log:++ dd conv=ucase
tls/build.log:+ kc_var=KC_TLS_CPPFLAGS
tls/build.log:++ eval 'echo "$KC_TLS_CPPFLAGS"'
tls/build.log:+++ echo ''
tls/build.log:+ kc_var_val=
tls/build.log:+ '[' -n '' ']'
tls/build.log:+ for base_var in LDFLAGS CFLAGS CPPFLAGS LIBS
tls/build.log:++ echo KC_tls_LIBS
tls/build.log:++ dd conv=ucase
tls/build.log:+ kc_var=KC_TLS_LIBS
tls/build.log:++ eval 'echo "$KC_TLS_LIBS"'
tls/build.log:+++ echo ''
tls/build.log:+ kc_var_val=
tls/build.log:+ '[' -n '' ']'
tls/build.log:+ '[' '' = 0 ']'
tls/build.log:+ '[' '' = -1 ']'
tls/build.log:+ tryopts=--disable-shared
tls/build.log:+ save_cflags=
tls/build.log:+ for tryopt in '$tryopts' __fail__
tls/build.log:+ '[' --disable-shared = __fail__ ']'
tls/build.log:+ make distclean
tls/build.log:+ '[' --disable-shared == --enable-shared ']'
tls/build.log:+ isshared=0
tls/build.log:+ '[' 0 = 0 -a kitsh = kitdll ']'
tls/build.log:+ CFLAGS=
tls/build.log:+ export CFLAGS
tls/build.log:+ '[' 0 = 0 ']'
tls/build.log:+ pkg_configure_shared_build=0
tls/build.log:+ '[' 0 = 0 ']'
tls/build.log:+ tryopt='--disable-shared --disable-stubs --enable-static'
tls/build.log:+ grep '[-]disable-stubs' configure
tls/build.log:+ ./configure --disable-shared --disable-stubs --enable-static --prefix=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/t
tls/build.log:configure: WARNING: unrecognized options: --enable-kit-storage, --enable-threads, --enable-threads
tls/build.log:checking for i586-mingw32msvc-gcc... i586-mingw32msvc-gcc
tls/build.log:checking whether the C compiler works... yes
tls/build.log:checking for C compiler default output file name... a.exe
tls/build.log:checking for suffix of executables... .exe
tls/build.log:checking whether we are cross compiling... yes
tls/build.log:checking for suffix of object files... o
tls/build.log:checking whether we are using the GNU C compiler... yes
tls/build.log:checking whether i586-mingw32msvc-gcc accepts -g... yes
tls/build.log:checking for i586-mingw32msvc-gcc option to accept ISO C89... none needed
tls/build.log:checking whether make sets $(MAKE)... yes
tls/build.log:checking for a BSD-compatible install... /bin/ginstall -c
tls/build.log:checking how to run the C preprocessor... i586-mingw32msvc-gcc -E
tls/build.log:checking for grep that handles long lines and -e... /bin/grep
tls/build.log:checking for egrep... /bin/grep -E
tls/build.log:checking for ANSI C header files... yes
tls/build.log:checking for sys/types.h... yes
tls/build.log:checking for sys/stat.h... yes
tls/build.log:checking for stdlib.h... yes
tls/build.log:checking for string.h... yes
tls/build.log:checking for memory.h... yes
tls/build.log:checking for strings.h... yes
tls/build.log:checking for inttypes.h... yes
tls/build.log:checking for stdint.h... yes
tls/build.log:checking for unistd.h... yes
tls/build.log:checking minix/config.h usability... no
tls/build.log:checking minix/config.h presence... no
tls/build.log:checking for minix/config.h... no
tls/build.log:checking whether it is safe to define __EXTENSIONS__... yes
tls/build.log:checking build system type... x86_64-unknown-linux-gnu
tls/build.log:checking host system type... i586-pc-mingw32msvc
tls/build.log:checking host operating system... mingw32msvc
tls/build.log:checking for unistd.h... (cached) yes
tls/build.log:checking for stdlib.h... (cached) yes
tls/build.log:checking for string.h... (cached) yes
tls/build.log:checking for strings.h... (cached) yes
tls/build.log:checking for path to tclConfig.sh... /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tc
tls/build.log:checking for runnable tclsh... /usr/bin/tclsh
tls/build.log:checking for working tclConfig.sh... found
tls/build.log:checking for i586-mingw32msvc-ar... i586-mingw32msvc-ar
tls/build.log:checking for i586-mingw32msvc-ranlib... i586-mingw32msvc-ranlib
tls/build.log:checking whether C compiler accepts -Wno-unused-value... yes
tls/build.log:checking whether C compiler accepts -Wno-unused-parameter... yes

```

```

tls/build.log:checking whether C compiler accepts -Wno-deprecated-declarations... yes
tls/build.log:checking for i586-mingw32msvc-pkg-config... no
tls/build.log:checking for pkg-config... pkg-config
tls/build.log:configure: WARNING: using cross tools not prefixed with host triplet
tls/build.log:checking whether C compiler accepts -Wall... yes
tls/build.log:checking whether C compiler accepts -W... yes
tls/build.log:checking whether C compiler accepts -Wno-self-assign... yes
tls/build.log:checking whether C compiler accepts -fstack-protector-all... yes
tls/build.log:checking whether C compiler accepts -fno-strict-overflow... yes
tls/build.log:checking which TLS library to use... openssl
tls/build.log:checking if a basic OpenSSL program works... no
tls/build.log:configure: error: Unable to compile a basic program using OpenSSL
tls/build.log:+ for tryopt in '$tryopts' __fail__
tls/build.log:+ '[' __fail__ = __fail__ ']'
tls/build.log:+ return 1
tls/build.log:+ die 'configure failed'
tls/build.log:+ local msg
tls/build.log:+ msg='configure failed'
tls/build.log:+ echo 'configure failed'
tls/build.log:configure failed
tls/build.log:+ exit 1
zlib/build.log:+ '[' 1 = 1 ']'
zlib/build.log:+ init
zlib/build.log:+ clean
zlib/build.log:+ rm -rf /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh ']'
zlib/build.log:+ source /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win/tclConfig.sh
zlib/build.log:++ TCL_DLL_FILE=tcl86.dll
zlib/build.log:++ TCL_VERSION=8.6
zlib/build.log:++ TCL_MAJOR_VERSION=8
zlib/build.log:++ TCL_MINOR_VERSION=6
zlib/build.log:++ TCL_PATCH_LEVEL=.9
zlib/build.log:++ TCL_CC=i586-mingw32msvc-gcc
zlib/build.log:++ TCL_DEFS=-DPACKAGE_NAME="\ " -DPACKAGE_TARNAME="\ " -DPACKAGE_VERSION="\ " -DPACKAGE_STRING="\ " -DPACKAGE_BUGREPORT="\ " -DSTDC_HEADERS
zlib/build.log:++ TCL_DBGX=
zlib/build.log:++ TCL_CFLAGS_DEBUG=-g
zlib/build.log:++ TCL_CFLAGS_OPTIMIZE=' -O2 -fomit-frame-pointer '
zlib/build.log:++ TCL_LDFLAGS_DEBUG=
zlib/build.log:++ TCL_LDFLAGS_OPTIMIZE=
zlib/build.log:++ TCL_SHARED_BUILD=0
zlib/build.log:++ TCL_LIB_FILE=libtcl86.a
zlib/build.log:++ TCL_NEEDS_EXP_FILE=
zlib/build.log:++ TCL_EXPORT_FILE_SUFFIX='${NODOT_VERSION}$(DBGX).a'
zlib/build.log:++ TCL_LIBS='-lnetapi32 -lkernel32 -luser32 -ladvapi32 -luserenv -lws2_32'
zlib/build.log:++ TCL_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
zlib/build.log:++ TCL_EXEC_PREFIX=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst
zlib/build.log:++ TCL_SHLIB_CFLAGS=
zlib/build.log:++ TCL_CFLAGS_WARNING='-Wall -Wdeclaration-after-statement'
zlib/build.log:++ TCL_EXTRA_CFLAGS=-pipe
zlib/build.log:++ TCL_SHLIB_LD='${CC} -shared'
zlib/build.log:++ TCL_STLIB_LD='${AR} cr'
zlib/build.log:++ TCL_SHLIB_LD_LIBS='${LIBS}'
zlib/build.log:++ TCL_SHLIB_SUFFIX=.dll
zlib/build.log:++ TCL_DL_LIBS=
zlib/build.log:++ TCL_LD_FLAGS=
zlib/build.log:++ TCL_CC_SEARCH_FLAGS=
zlib/build.log:++ TCL_LD_SEARCH_FLAGS=
zlib/build.log:++ TCL_COMPAT_OBJS=
zlib/build.log:++ TCL_RANLIB=i586-mingw32msvc-ranlib
zlib/build.log:++ TCL_LIB_FLAG=
zlib/build.log:++ TCL_BUILT_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/win
zlib/build.log:++ TCL_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltcl86'
zlib/build.log:++ TCL_INCLUDE_SPEC=-I/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/include
zlib/build.log:++ TCL_LIB_VERSIONS_OK=
zlib/build.log:++ TCL_SHARED_LIB_SUFFIX='${NODOT_VERSION}$(DBGX).dll'
zlib/build.log:++ TCL_UNSHARED_LIB_SUFFIX='${NODOT_VERSION}$(DBGX).a'
zlib/build.log:++ TCL_SRC_DIR=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
zlib/build.log:++ TCL_PACKAGE_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib
zlib/build.log:++ TCL_SUPPORTS_STUBS=1
zlib/build.log:++ TCL_STUB_LIB_FILE=libtclstub86.a
zlib/build.log:++ TCL_STUB_LIB_FLAG=-ltclstub86
zlib/build.log:++ TCL_BUILT_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9
zlib/build.log:++ TCL_STUB_LIB_SPEC='-L/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib -ltclstub86
zlib/build.log:++ TCL_BUILT_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/build/tcl8.6.9/wi
zlib/build.log:++ TCL_STUB_LIB_PATH=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/tcl/inst/lib/libtclstub86.a
zlib/build.log:++ TCL_THREADS=1
zlib/build.log:++ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst /tmp/kitcreator-web/builds,
zlib/build.log:++ export TCL_VERSION
zlib/build.log:++ init_kitcreator
zlib/build.log:++ :
zlib/build.log:++ predownload
zlib/build.log:++ :
zlib/build.log:++ download
zlib/build.log:++ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/buildsrc ']'
zlib/build.log:++ '[' -n http://sourceforge.net/projects/libpng/files/zlib/1.2.8/zlib-1.2.8.tar.gz ']'
zlib/build.log:++ echo http://sourceforge.net/projects/libpng/files/zlib/1.2.8/zlib-1.2.8.tar.gz
zlib/build.log:++ sed 's@\?.*%@@'
zlib/build.log:++ archivetype=http://sourceforge.net/projects/libpng/files/zlib/1.2.8/zlib-1.2.8.tar.gz
zlib/build.log:++ case "${archivetype}" in
zlib/build.log:++ echo http://sourceforge.net/projects/libpng/files/zlib/1.2.8/zlib-1.2.8.tar.gz
zlib/build.log:++ sed 's@^\.*\.tar\.\@tar.\@'
zlib/build.log:++ archivetype=tar.gz
zlib/build.log:++ pkgarchive=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src/zlib-1.2.8.tar.gz
zlib/build.log:++ mkdir /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src
zlib/build.log:++ '[' -n http://sourceforge.net/projects/libpng/files/zlib/1.2.8/zlib-1.2.8.tar.gz -a -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/common/helpers/download http://sourceforge.net
zlib/build.log:--2019-12-17 16:38:25-- http://hashcache.rkeene.org/sha256/36658cb768a54c1d4dec43c3116c27ed893e88b02ecfcb44f2166f9c0b7f2a0d

```

```

zlib/build.log:Resolving hashcache.rkeene.org... 2607:f1c0:84b:4b01:d73f:f114:30e7:e89d, 74.208.161.226
zlib/build.log:Connecting to hashcache.rkeene.org[2607:f1c0:84b:4b01:d73f:f114:30e7:e89d]:80... connected.
zlib/build.log:HTTP request sent, awaiting response... 200 OK
zlib/build.log:Length: 571091 (558K) [application/octet-stream]
zlib/build.log:Saving to: '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src/zlib-1.2.8.tar.gz.new'
zlib/build.log:
zlib/build.log:  0K ..... 8% 26.6M 0s
zlib/build.log: 50K ..... 17% 24.0M 0s
zlib/build.log:100K ..... 26% 12.6M 0s
zlib/build.log:150K ..... 35% 123M 0s
zlib/build.log:200K ..... 44% 111M 0s
zlib/build.log:250K ..... 53% 109M 0s
zlib/build.log:300K ..... 62% 141M 0s
zlib/build.log:350K ..... 71% 104M 0s
zlib/build.log:400K ..... 80% 116M 0s
zlib/build.log:450K ..... 89% 119M 0s
zlib/build.log:500K ..... 98% 115M 0s
zlib/build.log:550K ..... 100% 96.1M=0.01s
zlib/build.log:
zlib/build.log:2019-12-17 16:38:25 (48.7 MB/s) - '/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src/zlib-1.2.8.tar.gz'
zlib/build.log:
zlib/build.log:+ return 0
zlib/build.log:+ postdownload
zlib/build.log:+ :
zlib/build.log:+ extract
zlib/build.log:+ '[' -d /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/buildsrc ']'
zlib/build.log:+ '[' -n /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src/zlib-1.2.8.tar.gz ']'
zlib/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/build/workdir-96722620229338402:
zlib/build.log:+ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/build/workdir-967226202293384023620.wc
zlib/build.log:+ case "$pkgarchive" in
zlib/build.log:+ gzip -dc /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/src/zlib-1.2.8.tar.gz
zlib/build.log:+ tar -xf -
zlib/build.log:+ shopt -s dotglob
zlib/build.log:++ echo ./zlib-1.2.8
zlib/build.log:+ dir=./zlib-1.2.8
zlib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/patches/all/zlib-1.2.8-*.diff ']'
zlib/build.log:+ mv ./zlib-1.2.8/CMakeLists.txt ./zlib-1.2.8/ChangeLog ./zlib-1.2.8/FAQ ./zlib-1.2.8/INDEX ./zlib-1.2.8/Makefile ./zlib-1.2.8/Makefile.in
zlib/build.log:+ rmdir ./zlib-1.2.8
zlib/build.log:+ exit 0
zlib/build.log:+ return 0
zlib/build.log:+ apply_patches
zlib/build.log:+ local patch
zlib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}/*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}/*.diff "${patchdir}"/*.diff
zlib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/patches/all/zlib-1.2.8-*.diff ']'
zlib/build.log:+ continue
zlib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}/*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}/*.diff "${patchdir}"/*.diff
zlib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/patches/8.6/zlib-1.2.8-*.diff ']'
zlib/build.log:+ continue
zlib/build.log:+ for patch in "${patchdir}/all"/${pkg}-${version}/*.diff "${patchdir}/${TCL_VERSION}/${pkg}-${version}/*.diff "${patchdir}"/*.diff
zlib/build.log:+ '[' '!' -f /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/patches/*.diff ']'
zlib/build.log:+ continue
zlib/build.log:+ return 0
zlib/build.log:+ cd /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/build/workdir-967226202293384023620.wc
zlib/build.log:+ preconfigure
zlib/build.log:+ :
zlib/build.log:+ configure
zlib/build.log:+ case "(uname -s 2>/dev/null | dd conv=lcase 2>/dev/null)" in
zlib/build.log:++ uname -s
zlib/build.log:++ dd conv=lcase
zlib/build.log:+ '[' kits = kitdll ']'
zlib/build.log:+ ./configure --prefix=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst --libdir=/tmp/
zlib/build.log:Building static library libz.a version 1.2.8 with i586-mingw32msvc-gcc.
zlib/build.log:Checking for off64_t... Yes.
zlib/build.log:Checking for fseeko... Yes.
zlib/build.log:Checking for strerror... Yes.
zlib/build.log:Checking for unistd.h... Yes.
zlib/build.log:Checking for stdarg.h... Yes.
zlib/build.log:Checking whether to use vs[n]printf() or s[n]printf()... using vs[n]printf().
zlib/build.log:Checking for vsnprintf() in stdio.h... Yes.
zlib/build.log:Checking for return value of vsnprintf()... Yes.
zlib/build.log:Checking for attribute(visibility) support... No.
zlib/build.log:+ postconfigure
zlib/build.log:+ :
zlib/build.log:+ prebuild
zlib/build.log:+ :
zlib/build.log:+ build
zlib/build.log:+ make tcclibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -I. -c -o example.o test/example.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o Adler32.o Adler32.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o crc32.o crc32.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o deflate.o deflate.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o infback.o infback.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o inffast.o inffast.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o inflate.o inflate.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o infrees.o infrees.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o trees.o trees.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o zutil.o zutil.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o compress.o compress.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o uncompress.o uncompress.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o gzclose.o gzclose.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o gzlib.o gzlib.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o gzread.o gzread.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -c -o gzwrite.o gzwrite.c
zlib/build.log:i586-mingw32msvc-rc rc libz.a Adler32.o crc32.o deflate.o infback.o inffast.o inflate.o infrees.o trees.o zutil.o compress.o uncompress.o gzi
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -o example example.o -L. libz.a
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -I. -c -o minigzip.o test/minigzip.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -I. -c -o minigzip minigzip.o -L. libz.a
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -I. -D_FILE_OFFSET_BITS=64 -c -o example64.o test/example.c

```

```
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -o example64 example64.o -L. libz.a
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -I. -D_FILE_OFFSET_BITS=64 -c -o minigzip64.o test/minigzip.c
zlib/build.log:i586-mingw32msvc-gcc -O3 -D_LARGEFILE64_SOURCE=1 -o minigzip64 minigzip64.o -L. libz.a
zlib/build.log:+ postbuild
zlib/build.log:+ :
zlib/build.log:+ preinstall
zlib/build.log:+ :
zlib/build.log:+ install
zlib/build.log:+ mkdir -p /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib
zlib/build.log:+ make tcllibdir=/tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib install
zlib/build.log:cp libz.a /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib
zlib/build.log:chmod 644 /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib/libz.a
zlib/build.log:cp zlib.3 /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/share/man/man3
zlib/build.log:chmod 644 /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/share/man/man3/zlib.3
zlib/build.log:cp zlib.pc /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib/pkgconfig
zlib/build.log:chmod 644 /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/lib/pkgconfig/zlib.pc
zlib/build.log:cp zlib.h zconf.h /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/include
zlib/build.log:chmod 644 /tmp/kitcreator-web/builds/7e2a2eafe6f3f860d92b440a6ed33e7f858d6ceb/build/kitcreator-0.11.1/zlib/inst/include/zlib.h /tmp/kitcreat
zlib/build.log:+ postinstall
zlib/build.log:+ :
zlib/build.log:+ createruntime
zlib/build.log:+ :
zlib/build.log:+ set +x
```